
**1KG**

日本公制外螺纹60°外锥 / 英管外螺纹O形圈

JIS METRIC MALE 60° CONE / BSP MALE O-RING

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS			
	E	F		A	B	L	S1
1KG-14-04	M14X1.5	G1/4"X19	O111	17	11	36	19
1KG-14-06	M14X1.5	G3/8"X19	O113	17	11.5	36.5	22
1KG-16-06	M16X1.5	G3/8"X19	O113	18	11.5	38	22
1KG-18-06	M18X1.5	G3/8"X19	O113	18	11.5	38	22
1KG-22-08	M22X1.5	G1/2"X14	O115	20	14	47	27
1KG-33-12	M33X1.5	G3/4"X14	O119	30	15.5	59.5	36
1KG-33-16	M33X1.5	G1"X11	O217	30	18	62	41

注：F端与DIN 3852油口相配。 Note: F end is connected with DIN 3852 port.


**1KG9-OG**

90°弯 日本公制外螺纹 / 英管外螺纹O形圈可调向柱端

90° ELBOW JIS METRIC MALE / BSP MALE O-RING
ADJUSTABLE STUD END

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS			
	E	F		A	B	S1	S2
1KG9-14-04OG	M14X1.5	G1/4"X19	O111	26.5	31.3	14	19
1KG9-14-06OG	M14X1.5	G3/8"X19	O113	28.5	35.8	16	22
1KG9-16-06OG	M16X1.5	G3/8"X19	O113	28	35.8	16	22
1KG9-18-06OG	M18X1.5	G3/8"X19	O113	30.8	37	19	22
1KG9-22-08OG	M22X1.5	G1/2"X14	O115	35.5	43.2	22	27
1KG9-24-08OG	M24X1.5	G1/2"X14	O115	37	46	24	27
1KG9-30-12OG	M30X1.5	G3/4"X14	O119	47.5	53	30	32
1KG9-33-16OG	M33X1.5	G1"X11	O217	50	53	33	41
1KG9-42-20OG	M42X1.5	G1.1/4"X11	O222	63	59	41	50


注：F端与DIN 3852油口相配。 Note: F end is connected with DIN 3852 port.

**1S**

日本英管外螺纹60°外锥

JIS GAS MALE 60° CONE



代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS			
	E	F	A	B	L	S1
1S-02	G1/8"X28	G1/8"X28	12	12	30	14
1S-04	G1/4"X19	G1/4"X19	16	16	38	17
1S-06	G3/8"X19	G3/8"X19	18	18	42	19
1S-08	G1/2"X14	G1/2"X14	20	20	48	22
1S-12	G3/4"X14	G3/4"X14	22	22	54	30
1S-20	G1.1/4"X11	G1.1/4"X11	27	27	67	46
1S-24	G1.1/2"X11	G1.1/2"X11	27	27	69	50
1S-32	G2"X11	G2"X11	30	30	77	65

**4S**

日本英管外螺纹60°外锥堵头

JIS GAS MALE 60° CONE

代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS			
	E		A		L	S1
4S-02	G1/8"X28		12		18	14
4S-04	G1/4"X19		16		24	17
4S-06	G3/8"X19		18		24	19
4S-08	G1/2"X14		20		28	22
4S-12	G3/4"X14		22		32	30
4S-20	G1.1/4"X11		27		40	46
4S-24	G1.1/2"X11		27		42	50
4S-32	G2"X11		30		47	65


**6S****6S-LN**

日本英管外螺纹60°外锥过板接头

JIS GAS MALE 60° CONE BULKHEAD

代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS			
	E	F	A	B	L	S1
6S-04	G1/4"X19	G1/4"X19	16	32	56	19
6S-06	G3/8"X19	G3/8"X19	18	36	62	22
6S-08	G1/2"X14	G1/2"X14	20	40	70	27
6S-12	G3/4"X14	G3/4"X14	22	41	74	32

注：如需带锁母整套订货，则请在代号后加“LN”，如6S-16LN，锁母代号为8B。




1SG

日本英管外螺纹60°外锥 / 英管外螺纹O形圈

JIS GAS MALE 60° CONE / BSP MALE O-RING

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS			
	E	F	F端	A	B	L	S1
1SG-02	G1/8"X28	G1/8"X28	O011	12	9.5	29	14
1SG-04	G1/4"X19	G1/4"X19	O111	16	11	33.5	19
1SG-06	G3/8"X19	G3/8"X19	O113	18	11.5	37.5	22
1SG-08	G1/2"X14	G1/2"X14	O115	20	14	44	27
1SG-12	G3/4"X14	G3/4"X14	O119	22	15.5	48.5	32
1SG-20	G1.1/4"X11	G1.1/4"X11	O222	27	20	59	50
1SG-24	G1.1/2"X11	G1.1/2"X11	O224	27	21.5	62.5	55

注： F端与DIN 3852油口相配。 F end is connected with DIN 3852 port.




1ST-SP

日本英管外螺纹60°外锥 / 英锥管外螺纹

JIS GAS MALE 60° CONE / BSPT MALE

代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
1ST-02SP	G1/8"X28	R1/8"X28	12	10	28	14
1ST-02-04SP	G1/8"X28	R1/4"X19	12	14.5	32.5	17
1ST-04SP	G1/4"X19	R1/4"X19	16	14.5	36.5	17
1ST-04-02SP	G1/4"X19	R1/8"X28	16	10	32	17
1ST-04-06SP	G1/4"X19	R3/8"X19	16	15	37	19
1ST-04-08SP	G1/4"X19	R1/2"X14	16	20	44	22
1ST-06-04SP	G3/8"X19	R1/4"X19	18	14.5	40.5	22
1ST-06-08SP	G3/8"X19	R1/2"X14	18	20	46	22
1ST-08SP	G1/2"X14	R1/2"X14	20	20	48	22
1ST-08-04SP	G1/2"X14	R1/4"X19	20	14.5	42.5	22
1ST-08-06SP	G1/2"X14	R3/8"X19	20	15	45	27
1ST-08-12SP	G1/2"X14	R3/4"X14	20	20	50	27
1ST-12SP	G3/4"X14	R3/4"X14	22	20	53	30
1ST-12-08SP	G3/4"X14	R1/2"X14	22	20	52	30
1ST-12-16SP	G3/4"X14	R1"X11	22	25.5	58.5	36
1ST-16SP	G1"X11	R1"X11	24	25.5	62.5	41
1ST-16-12SP	G1"X11	R3/4"X14	24	20	57	41
1ST-20SP	G1.1/4"X11	R1.1/4"X11	27	26.5	66	46
1ST-24SP	G1.1/2"X11	R1.1/2"X11	27	26.5	67.5	50
1ST-32SP	G2"X11	R2"X11	30	30	77	65




1ST9-SP

90°弯日本英管外螺纹60°外锥 / 英锥管外螺纹

90° ELBOW JIS GAS MALE 60° CONE / BSPT MALE

代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	B	S1
1ST9-02SP	G1/8"X28	R1/8"X28	21.8	21	11
1ST9-02-04SP	G1/8"X28	R1/4"X19	24.3	25.5	14
1ST9-04SP	G1/4"X19	R1/4"X19	29	25.5	14
1ST9-04-02SP	G1/4"X19	R1/8"X28	29	23.5	14
1ST9-04-06SP	G1/4"X19	R3/8"X19	30	28.5	16
1ST9-06-04SP	G3/8"X19	R1/4"X19	31.5	26.5	16
1ST9-06-08SP	G3/8"X19	R1/2"X14	36	36	22
1ST9-08SP	G1/2"X14	R1/2"X14	38	36	22
1ST9-08-06SP	G1/2"X14	R3/8"X19	38	32.5	22
1ST9-08-12SP	G1/2"X14	R3/4"X14	41	43.5	27
1ST9-12SP	G3/4"X14	R3/4"X14	43	43.5	27
1ST9-12-08SP	G3/4"X14	R1/2"X14	43	39.5	27
1ST9-12-16SP	G3/4"X14	R1"X11	47	50	33
1ST9-16SP	G1"X11	R1"X11	48.5	50	33
1ST9-20SP	G1.1/4"X11	R1.1/4"X11	57	56.5	41
1ST9-24SP	G1.1/2"X11	R1.1/2"X11	61	62.5	48
1ST9-32SP	G2"X11	R2"X11	73.2	74.2	63




1B

英管外螺纹60°内锥或六角端面用组合垫密封

BSP MALE DOUBLE USE FOR 60° SEAT OR BONDED SEAL

代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
1B-02	G1/8"X28	G1/8"X28	10	10	26	14
1B-02-04	G1/8"X28	G1/4"X19	10	12	28	19
1B-02-06	G1/8"X28	G3/8"X19	10	13.5	31.5	22
1B-02-08	G1/8"X28	G1/2"X14	10	16	36	27
1B-04	G1/4"X19	G1/4"X19	12	12	30	19
1B-04-08	G1/4"X19	G1/2"X14	12	16	38	27
1B-04-10	G1/4"X19	G5/8"X14	12	17.5	39.5	30
1B-06	G3/8"X19	G3/8"X19	13.5	13.5	33	22
1B-06-08	G3/8"X19	G1/2"X14	13.5	16	39.5	27
1B-06-10	G3/8"X19	G5/8"X14	13.5	17.5	42	30
1B-06-12	G3/8"X19	G3/4"X14	13.5	18.5	43	32
1B-08	G1/2"X14	G1/2"X14	16	16	42	27
1B-08-10	G1/2"X14	G5/8"X14	16	17.5	43.5	30
1B-08-12	G1/2"X14	G3/4"X14	16	18.5	45.5	32
1B-10	G5/8"X14	G5/8"X14	17.5	17.5	45	30
1B-10-12	G5/8"X14	G3/4"X14	17.5	18.5	47	32
1B-10-16	G5/8"X14	G1"X11	17.5	20.5	51.5	41
1B-12	G3/4"X14	G3/4"X14	18.5	18.5	48	32
1B-12-16	G3/4"X14	G1"X11	18.5	20.5	52.5	41
1B-12-20	G3/4"X14	G1.1/4"X11	18.5	20.5	56	50
1B-16	G1"X11	G1"X11	20.5	20.5	54	41
1B-16-20	G1"X11	G1.1/4"X11	20.5	20.5	58	50
1B-16-24	G1"X11	G1.1/2"X11	20.5	23	60.5	55
1B-20	G1.1/4"X11	G1.1/4"X11	20.5	20.5	58	50
1B-20-24	G1.1/4"X11	G1.1/2"X11	20.5	23	60.5	55
1B-24	G1.1/2"X11	G1.1/2"X11	23	23	63	55
1B-24-32	G1.1/2"X11	G2"X11	23	25.5	66.5	70
1B-32	G2"X11	G2"X11	25.5	25.5	68	70
1B-40	G2.1/2"X11	G2.1/2"X11	32	32	81	90
1B-48	G3"X11	G3"X11	36	36	92	100




1B9

90° 弯英管外螺纹60°内锥

90° ELBOW BSP MALE 60° SEAT

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F		A	B		S1
1B9-02	G1/8"X28	G1/8"X28		19.8	19.8		11
1B9-02-04	G1/8"X28	G1/4"X19		23	25		14
1B9-04	G1/4"X19	G1/4"X19		24.5	24.5		14
1B9-04-06	G1/4"X19	G3/8"X19		26.5	27.5		16
1B9-06	G3/8"X19	G3/8"X19		27.5	27.5		16
1B9-08	G1/2"X14	G1/2"X14		34.5	34.5		22
1B9-08-12	G1/2"X14	G3/4"X14		37.5	40		27
1B9-10	G5/8"X14	G5/8"X14		35	35		22
1B9-10-12	G5/8"X14	G3/4"X14		37.5	39		30
1B9-12	G3/4"X14	G3/4"X14		40	40		27
1B9-12-16	G3/4"X14	G1"X11		43.5	46		33
1B9-16	G1"X11	G1"X11		46	46		33
1B9-16-20	G1"X11	G1.1/4"X11		50.5	50.5		41
1B9-20	G1.1/4"X11	G1.1/4"X11		50.5	50.5		41
1B9-20-24	G1.1/4"X11	G1.1/2"X11		54.5	57.5		48
1B9-24	G1.1/2"X11	G1.1/2"X11		57.5	57.5		48
1B9-32	G2"X11	G2"X11		68	68		63




AB

英管外螺纹60°内锥三通

BSP MALE 60° SEAT TEE


代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F	G	A	B	C	S1
AB-02	G1/8"X28	G1/8"X28	G1/8"X28	19.8	19.8	19.8	11
AB-04	G1/4"X19	G1/4"X19	G1/4"X19	24.5	24.5	24.5	14
AB-04-06-04	G1/4"X19	G3/8"X19	G1/4"X19	26.5	27.5	26.5	16
AB-06-04-06	G3/8"X19	G1/4"X19	G3/8"X19	27.5	26.5	27.5	16
AB-06	G3/8"X19	G3/8"X19	G3/8"X19	27.5	27.5	27.5	16
AB-08-06-08	G1/2"X14	G3/8"X19	G1/2"X14	34.5	31	34.5	22
AB-08	G1/2"X14	G1/2"X14	G1/2"X14	34.5	34.5	34.5	22
AB-10	G5/8"X14	G5/8"X14	G5/8"X14	35	35	35	22
AB-12	G3/4"X14	G3/4"X14	G3/4"X14	40	40	40	27
AB-12-16-12	G3/4"X14	G1"X11	G3/4"X14	43.5	46	43.5	33
AB-16-12-16	G1"X11	G3/4"X14	G1"X11	46	43.5	46	33
AB-16	G1"X11	G1"X11	G1"X11	46	46	46	33
AB-20	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11	50.5	50.5	50.5	41
AB-24	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11	57.5	57.5	57.5	48
AB-32	G2"X11	G2"X11	G2"X11	72.5	72.5	72.5	63



2B

英管外螺纹60° 内锥或六角端面用组合垫密封/英管内螺纹60° 内锥

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B	L	S1	S2
2B-02	G1/8"X28	G1/8"X28	10	5.5	25	14	14
2B-02-04	G1/8"X28	G1/4"X19	10	5.5	27	14	19
2B-04	G1/4"X19	G1/4"X19	12	5.5	29	19	19
2B-04-06	G1/4"X19	G3/8"X19	12	6.3	30.5	19	22
2B-04-08	G1/4"X19	G1/2"X14	12	7.5	32	19	27
2B-06-08	G3/8"X19	G1/2"X14	13.5	7.5	35.5	22	27
2B-06-10	G3/8"X19	G5/8"X14	13.5	9.5	36	22	30
2B-08	G1/2"X14	G1/2"X14	16	7.5	40	27	27
2B-08-06	G1/2"X14	G3/8"X19	16	6.3	38.5	27	22
2B-08-12	G1/2"X14	G3/4"X14	16	10.9	41	27	32
2B-10	G5/8"X14	G5/8"X14	17.5	9.5	42	30	30
2B-10-08	G5/8"X14	G1/2"X14	17.5	7.5	41.5	30	27
2B-10-12	G5/8"X14	G3/4"X14	17.5	10.9	42.5	30	32
2B-12	G3/4"X14	G3/4"X14	18.5	10.9	44.5	32	32
2B-12-10	G3/4"X14	G5/8"X14	18.5	9.5	44	32	30
2B-12-16	G3/4"X14	G1"X11	18.5	11.7	46	32	41
2B-16	G1"X11	G1"X11	20.5	11.7	50	41	41
2B-16-12	G1"X11	G3/4"X14	20.5	10.9	49	41	32
2B-16-20	G1"X11	G1.1/4"X11	20.5	11	53	41	50
2B-20	G1.1/4"X11	G1.1/4"X11	20.5	11	55	50	50
2B-20-16	G1.1/4"X11	G1"X11	20.5	11.7	52	50	41
2B-20-24	G1.1/4"X11	G1.1/2"X11	20.5	13	55.5	50	55
2B-24	G1.1/2"X11	G1.1/2"X11	23	13	58	55	55
2B-32	G2"X11	G2"X11	25.5	16	63.5	70	70




2B9

90° 弯 英管外螺纹60°内锥 / 英管内螺纹60°外锥

90° ELBOW BSP MALE 60° SEAT / BSP FEMALE 60° CONE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B		S1	S2
2B9-02	G1/8"X28	G1/8"X28	19.8	5.5		11	14
2B9-04	G1/4"X19	G1/4"X19	24.5	5.5		14	19
2B9-04-06	G1/4"X19	G3/8"X19	25	6.3		14	22
2B9-06	G3/8"X19	G3/8"X19	27.5	6.3		16	22
2B9-06-04	G3/8"X19	G1/4"X19	27.5	5.5		16	19
2B9-08-06	G1/2"X14	G3/8"X19	34.5	6.3		22	22
2B9-10	G5/8"X14	G5/8"X14	35	9.5		22	30
2B9-10-08	G5/8"X14	G1/2"X14	35	7.5		22	27
2B9-12	G3/4"X14	G3/4"X14	40	10.9		27	32
2B9-16	G1"X11	G1"X11	46	11.7		33	41
2B9-20	G1.1/4"X11	G1.1/4"X11	50.5	11		41	50
2B9-24	G1.1/2"X11	G1.1/2"X11	57.5	13		48	55
2B9-32	G2"X11	G2"X11	72.5	16		63	70




BB

英管外螺纹60° 内锥 / 英管内螺纹60° 外锥 三通

BSP MALE 60° SEAT / BSP FEMALE 60° CONE BRANCH TEE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS				
	E	F	G	A	B	C	S1	S2
BB-02	G1/8"X28	G1/8"X28	G1/8"X28	19.8	5.5	19.8	11	14
BB-04	G1/4"X19	G1/4"X19	G1/4"X19	24.5	5.5	24.5	14	19
BB-06	G3/8"X19	G3/8"X19	G3/8"X19	27.5	6.3	27.5	16	22
BB-08	G1/2"X14	G1/2"X14	G1/2"X14	34.5	7.5	34.5	22	27
BB-12	G3/4"X14	G3/4"X14	G3/4"X14	40	10.9	40	27	32
BB-20	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11	50.5	11	50.5	41	50
BB-24	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11	57.5	13	57.5	48	55
BB-32	G2"X11	G2"X11	G2"X11	72.5	16	72.5	63	70




CB

英管外螺纹60° 内锥 / 英管内螺纹60° 外锥三通

BSP MALE 60° SEAT / BSP FEMALE 60° CONE RUN TEE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS				
	E	F	G	A	B	C	S1	S2
CB-02	G1/8"X28	G1/8"X28	G1/8"X28	19.8	19.8	5.5	11	14
CB-04	G1/4"X19	G1/4"X19	G1/4"X19	25	25	5.5	14	19
CB-06	G3/8"X19	G3/8"X19	G3/8"X19	27.5	27.5	6.3	16	22
CB-08	G1/2"X14	G1/2"X14	G1/2"X14	34.5	34.5	7.5	22	27
CB-10	G5/8"X14	G5/8"X14	G5/8"X14	34.5	34.5	9.5	22	30
CB-16	G1"X11	G1"X11	G1"X11	46	46	11.7	33	41
CB-20	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11	50.5	50.5	11	41	50
CB-24	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11	57.5	57.5	13	48	55
CB-32	G2"X11	G2"X11	G2"X11	72.5	72.5	16	63	70




3B

英管内螺纹60°外锥

BSP FEMALE 60° CONE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B	L	S1	S2
3B-02	G1/8"X28	G1/8"X28	5.5	5.5	21	14	14
3B-02-04	G1/8"X28	G1/4"X19	5.5	5.5	23	14	19
3B-04	G1/4"X19	G1/4"X19	5.5	5.5	25	19	19
3B-04-06	G1/4"X19	G3/8"X19	5.5	6.3	26.5	19	22
3B-04-08	G1/4"X19	G1/2"X14	5.5	7.5	28.5	19	27
3B-06-08	G3/8"X19	G1/2"X14	6.3	7.5	29.5	22	27
3B-08	G1/2"X14	G1/2"X14	7.5	7.5	31	27	27
3B-08-10	G1/2"X14	G5/8"X14	7.5	9.5	31.5	27	30
3B-08-12	G1/2"X14	G3/4"X14	7.5	10.9	32.5	27	32
3B-10	G5/8"X14	G5/8"X14	9.5	9.5	31.5	30	30
3B-10-12	G5/8"X14	G3/4"X14	9.5	10.9	33	30	32
3B-12	G3/4"X14	G3/4"X14	10.9	10.9	33.5	32	32
3B-12-16	G3/4"X14	G1"X11	10.9	11.7	35	32	41
3B-16	G1"X11	G1"X11	11.7	11.7	36.5	41	41
3B-16-20	G1"X11	G1.1/4"X11	11.7	11	37.5	41	50
3B-20	G1.1/4"X11	G1.1/4"X11	11	11	40	50	50
3B-24	G1.1/2"X11	G1.1/2"X11	13	13	42	55	55
3B-32	G2"X11	G2"X11	16	16	47	70	70




3B9

90°英管内螺纹60°外锥

90° BSP FEMALE 60° CONE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B	S1	S2	S3
3B9-02	G1/8"X28	G1/8"X28	5.5	5.5	11	14	14
3B9-04	G1/4"X19	G1/4"X19	5.5	5.5	11	19	19
3B9-06	G3/8"X19	G3/8"X19	6.3	6.3	14	22	22
3B9-08	G1/2"X14	G1/2"X14	7.5	7.5	19	27	27
3B9-10	G5/8"X14	G5/8"X14	9.5	9.5	19	30	30
3B9-16	G1"X11	G1"X11	11.7	11.7	30	41	41
3B9-20	G1.1/4"X11	G1.1/4"X11	11	11	41	50	50
3B9-24	G1.1/2"X11	G1.1/2"X11	13	13	48	55	55
3B9-32	G2"X11	G2"X11	16	16	63	70	70




DB

英管内螺纹60° 外锥 三通

BSP FEMALE 60° CONE TEE


代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS		
	E	F	G	A, B,C	S1	S2, S3,S4
DB-02	G1/8"X28	G1/8"X28	G1/8"X28	5.5	11	14
DB-04	G1/4"X19	G1/4"X19	G1/4"X19	5.5	11	19
DB-06	G3/8"X19	G3/8"X19	G3/8"X19	6.3	14	22
DB-08	G1/2"X14	G1/2"X14	G1/2"X14	7.5	19	27
DB-10	G5/8"X14	G5/8"X14	G5/8"X14	9.5	22	30
DB-16	G1"X11	G1"X11	G1"X11	11.7	30	41
DB-20	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11	11	36	50
DB-24	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11	13	48	55
DB-32	G2"X11	G2"X11	G2"X11	16	55	70



4B

英管外螺纹60°内锥或六角端面用组合垫密封堵头

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS		
	E			A	L	S1
4B-02	G1/8"X28			10	16	14
4B-04	G1/4"X19			12	18	19
4B-06	G3/8"X19			13.5	21.5	22
4B-08	G1/2"X14			16	26	27
4B-10	G5/8"X14			17.5	27.5	30
4B-16	G1"X11			20.5	34	41
4B-20	G1.1/4"X11			20.5	37.5	50
4B-24	G1.1/2"X11			23	40	55
4B-32	G2"X11			25.5	43.5	70




9B


英管内螺纹60°外锥堵头

BSP FEMALE 60° CONE PLUG

代号 PART NO.	螺 纹 THREAD	尺 寸 DIMENSIONS		
	E	A	L	S2
9B-02	G1/8"X28	5.5	11.5	14
9B-04	G1/4"X19	5.5	13.5	19
9B-06	G3/8"X19	6.3	14.5	22
9B-08	G1/2"X14	7.5	16	27
9B-10	G5/8"X14	9.5	16.5	30
9B-16	G1"X11	11.7	19	41
9B-20	G1.1/4"X11	11	21.5	50
9B-24	G1.1/2"X11	13	22	55
9B-32	G2"X11	16	26.5	70



6B




6B-LN

英管外螺纹60°内锥过板接头

BSP MALE 60° SEAT BULKHEAD

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS	
	E	F	A	B
6B-02	G1/8"X28	G1/8"X28	10	33
6B-04	G1/4"X19	G1/4"X19	12	35
6B-06	G3/8"X19	G3/8"X19	13.5	35
6B-08	G1/2"X14	G1/2"X14	16	39
6B-12	G3/4"X14	G3/4"X14	18.5	42
6B-16	G1"X11	G1"X11	20.5	50
6B-20	G1.1/4"X11	G1.1/4"X11	20.5	52
6B-24	G1.1/2"X11	G1.1/2"X11	23	55
6B-32	G2"X11	G2"X11	25.5	55


注：如需带锁母整套订货，则请在代号后加“LN”，如6B-16LN，锁母代号为8B-X。Note: In case if you are interested to order the adapter in complete set with lock nut ,it is necessary to insert suffix "LN" after our part no.,for example 6B-16LN,The lock nut no. is 8B.



1BT-SP

英管外螺纹60° 内锥或六角端面用组合垫密封 / 英锥管外螺纹
BSP MALE DOUBLE USE FOR 60° CONE SEAT OR
BONDED SEAL / BSPT MALE


代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
1BT-02SP	G1/8"X28	R1/8"X28	10	10	26	14
1BT-02-04SP	G1/8"X28	R1/4"X19	10	14.5	30.5	14
1BT-04SP	G1/4"X19	R1/4"X19	12	14.5	32	19
1BT-04-02SP	G1/4"X19	R1/8"X28	12	10	28	19
1BT-04-06SP	G1/4"X19	R3/8"X19	12	15	32	19
1BT-04-08SP	G1/4"X19	R1/2"X14	12	20	40	24
1BT-06-04SP	G3/8"X19	R1/4"X19	13.5	14.5	35.5	22
1BT-06-08SP	G3/8"X19	R1/2"X14	13.5	20	40.5	24
1BT-08SP	G1/2"X14	R1/2"X14	16	20	45	27
1BT-08-04SP	G1/2"X14	R1/4"X19	16	14.5	40.5	27
1BT-08-06SP	G1/2"X14	R3/8"X19	16	15	40	27
1BT-08-12SP	G1/2"X14	R3/4"X14	16	20	45	30
1BT-10-06SP	G5/8"X14	R3/8"X19	17.5	15	41.5	30
1BT-10-08SP	G5/8"X14	R1/2"X14	17.5	20	46.5	30
1BT-10-12SP	G5/8"X14	R3/4"X14	17.5	20	46.5	30
1BT-10-16SP	G5/8"X14	R1"X11	17.5	25.5	54	36
1BT-12SP	G3/4"X14	R3/4"X14	18.5	20	48.5	32
1BT-12-08SP	G3/4"X14	R1/2"X14	18.5	20	49.5	32
1BT-12-16SP	G3/4"X14	R1"X11	18.5	25.5	53.5	36
1BT-12-20SP	G3/4"X14	R1.1/4"X11	18.5	26.5	58	46
1BT-16SP	G1"X11	R1"X11	20.5	25.5	58	41
1BT-16-12SP	G1"X11	R3/4"X14	20.5	20	53	41
1BT-16-20SP	G1"X11	R1.1/4"X11	20.5	26.5	60	46
1BT-20SP	G1.1/4"X11	R1.1/4"X11	20.5	26.5	62	50
1BT-20-12SP	G1.1/4"X11	R3/4"X14	20.5	20.5	56	50
1BT-20-16SP	G1.1/4"X11	R1"X11	20.5	25.5	61	50
1BT-20-24SP	G1.1/4"X11	R1.1/2"X11	20.5	26.5	62	50
1BT-24SP	G1.1/2"X11	R1.1/2"X11	23	26.5	64.5	55
1BT-24-16SP	G1.1/2"X11	R1"X11	23	25.5	63.5	55
1BT-24-20SP	G1.1/2"X11	R1.1/4"X11	23	26.5	64.5	55
1BT-24-32SP	G1.1/2"X11	R2"X11	23	30	70	65
1BT-32SP	G2"X11	R2"X11	25.5	30	72.5	70
1BT-32-20SP	G2"X11	R1.1/4"X11	25.5	27	68.5	70
1BT-32-24SP	G2"X11	R1.1/2"X11	25.5	26.5	68.5	70
1BT-40SP	G2.1/2"X11	G2.1/2"X11	32	34	83	90
1BT-48SP	G3"X11	R3"X11	36	38	94	100

**1BT4-SP**

45° 弯 英管外螺纹60°内锥 / 英锥管外螺纹

45° ELBOW BSP MALE 60° SEAT / BSPT MALE

代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	B	S1
1BT4-02SP	G1/8"X28	R1/8"X28	17	17	11
1BT4-04SP	G1/4"X19	R1/4"X19	20.3	21	14
1BT4-04-06SP	G1/4"X19	R3/8"X19	20.5	23	16
1BT4-06SP	G3/8"X19	R3/8"X19	22	23	16
1BT4-06-04SP	G3/8"X19	R1/4"X19	22	21	16
1BT4-06-12SP	G3/8"X19	R3/4"X14	25.5	30.5	27
1BT4-08SP	G1/2"X14	R1/2"X14	27	29.5	22
1BT4-08-06SP	G1/2"X14	R3/8"X19	27	25	22
1BT4-08-12SP	G1/2"X14	R3/4"X14	28.5	30.5	27
1BT4-10-08SP	G5/8"X14	R1/2"X14	28.5	29.5	22
1BT4-10-12SP	G5/8"X14	R3/4"X14	29	35	27
1BT4-12SP	G3/4"X14	R3/4"X14	31	30.5	27
1BT4-12-08SP	G3/4"X14	R1/2"X14	31	30.5	27
1BT4-12-16SP	G3/4"X14	R1"X11	32.5	38	33
1BT4-16SP	G1"X11	R1"X11	35	38	33
1BT4-16-12SP	G1"X11	R3/4"X14	35	32.5	33
1BT4-16-20SP	G1"X11	R1.1/4"X11	38.5	43	41
1BT4-20SP	G1.1/4"X11	R1.1/4"X11	38.5	43	41
1BT4-20-16SP	G1.1/4"X11	R1"X11	38.5	42	41
1BT4-20-24SP	G1.1/4"X11	R1.1/2"X11	41.5	47.5	48
1BT4-24SP	G1.1/2"X11	R1.1/2"X11	44	47.5	48
1BT4-24-20SP	G1.1/2"X11	R1.1/4"X11	44	45.5	48
1BT4-24-32SP	G1.1/2"X11	R2"X11	51	60.5	63
1BT4-32SP	G2"X11	R2"X11	49.5	55.5	63
1BT4-32-24SP	G2"X11	R1.1/2"X11	51	52.5	63




1BT9-SP

90° 弯 英管外螺纹60°内锥 / 英锥管外螺纹

90° ELBOW BSP MALE 60° SEAT / BSPT MALE

代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	B	S1
1BT9-02SP	G1/8"X28	R1/8"X28	20	21	11
1BT9-02-04SP	G1/8"X28	R1/4"X19	22.3	25.5	14
1BT9-04SP	G1/4"X19	R1/4"X19	24.5	25.5	14
1BT9-04-02SP	G1/4"X19	R1/8"X28	25	23.5	14
1BT9-04-06SP	G1/4"X19	R3/8"X19	25	28.5	16
1BT9-06SP	G3/8"X19	R3/8"X19	27.5	28.5	16
1BT9-06-04SP	G3/8"X19	R1/4"X19	27.5	26.5	16
1BT9-06-08SP	G3/8"X19	R1/2"X14	31	36	22
1BT9-08SP	G1/2"X14	R1/2"X14	34.5	36	22
1BT9-08-04SP	G1/2"X14	R1/4"X19	34.5	30.5	22
1BT9-08-06SP	G1/2"X14	R3/8"X19	34.5	32.5	22
1BT9-08-12SP	G1/2"X14	R3/4"X14	37.5	43.5	27
1BT9-08-16SP	G1/2"X14	R1"X11	41	50	33
1BT9-10-08SP	G5/8"X14	R1/2"X14	35	36	22
1BT9-10-12SP	G5/8"X14	R3/4"X14	39	43.5	27
1BT9-12SP	G3/4"X14	R3/4"X14	40	43	27
1BT9-12-06SP	G3/4"X14	R3/8"X19	40	36	27
1BT9-12-08SP	G3/4"X14	R1/2"X14	40	39.5	27
1BT9-12-16SP	G3/4"X14	R1"X11	43.5	50	33
1BT9-12-20SP	G3/4"X14	R1.1/4"X11	48	56.5	41
1BT9-16SP	G1"X11	R1"X11	46	50	33
1BT9-16-08SP	G1"X11	R1/2"X14	46	43	33
1BT9-16-12SP	G1"X11	R3/4"X14	46	47.5	33
1BT9-16-20SP	G1"X11	R1.1/4"X11	50.5	56.5	41
1BT9-20SP	G1.1/4"X11	R1.1/4"X11	52	59	41
1BT9-20-12SP	G1.1/4"X11	R3/4"X14	50.5	54	41
1BT9-20-16SP	G1.1/4"X11	R1"X11	52	56.5	41
1BT9-20-24SP	G1.1/4"X11	R1.1/2"X11	54.5	62.5	48
1BT9-24SP	G1.1/2"X11	R1.1/2"X11	57.5	62	48
1BT9-24-20SP	G1.1/2"X11	R1.1/4"X11	57.5	61	48
1BT9-24-32SP	G1.1/2"X11	R2"X11	66	75	63
1BT9-32SP	G2"X11	R2"X11	67	75	63
1BT9-32-24SP	G2"X11	R1.1/2"X11	68	72	63




1BN

英制外螺纹60° 内锥或六角端面用组合
垫密封/美制布锥管外螺纹

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR
BONDED SEAL/NPE MALE

代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
1BN-02	G1/8"X28	Z1/8"X27	10	10.5	26	14
1BN-02-04	G1/8"X28	Z1/4"X18	10	15	31	17
1BN-04	G1/4"X19	Z1/4"X18	12	15	33	19
1BN-04-02	G1/4"X19	Z1/8"X27	12	10.5	28	19
1BN-04-06	G1/4"X19	Z3/8"X18	12	16	34	19
1BN-06	G3/8"X19	Z3/8"X18	13.5	16	37.5	22
1BN-06-04	G3/8"X19	Z1/4"X18	13.5	15	36	22
1BN-06-08	G3/8"X19	Z1/2"X14	13.5	19.5	41	22
1BN-06-12	G3/8"X19	Z3/4"X14	13.5	19.5	43	30
1BN-08	G1/2"X14	Z1/2"X14	16	19.5	45.5	27
1BN-08-06	G1/2"X14	Z3/8"X18	16	16	42	27
1BN-08-12	G1/2"X14	Z3/4"X14	16	19.5	45.5	30
1BN-08-16	G1/2"X14	Z1"X11.5	16	25.5	52.5	36
1BN-10-08	G5/8"X14	Z1/2"X14	17.5	19.5	47	30
1BN-10-12	G5/8"X14	Z3/4"X14	17.5	19.5	47	30
1BN-12	G3/4"X14	Z3/4"X14	18.5	19.5	49	32
1BN-12-06	G3/4"X14	Z3/8"X18	18.5	16	45.5	32
1BN-12-08	G3/4"X14	Z1/2"X14	18.5	19.5	49	32
1BN-12-16	G3/4"X14	Z1"X11.5	18.5	25.5	55	36
1BN-16	G1"X11	Z1"X11.5	20.5	25.5	59	41
1BN-16-12	G1"X11	Z3/4"X14	20.5	19.5	53	41
1BN-16-20	G1"X11	Z1.1/4"X11.5	20.5	26.5	60	46
1BN-20	G1.1/4"X11	Z1.1/4"X11.5	20.5	26.5	62	50
1BN-20-16	G1.1/4"X11	Z1"X11.5	20.5	25.5	61	50
1BN-20-24	G1.1/4"X11	Z1.1/2"X11.5	20.5	27.5	63	50
1BN-24	G1.1/2"X11	Z1.1/2"X11.5	23	27.5	65.5	55
1BN-24-20	G1.1/2"X11	Z1.1/4"X11.5	23	26.5	64.5	55
1BN-24-32	G1.1/2"X11	Z2"X11.5	23	27.5	67.5	65
1BN-32	G2"X11	Z2"X11.5	25.5	27.5	70	70
1BN-32-20	G2"X11	Z1.1/4"X11.5	25.5	26.5	69	70
1BN-32-24	G2"X11	Z1.1/2"X11.5	25.5	27.5	70	70




1BN9

90°弯 英管外螺纹60° 内锥/美制布锥管外螺纹

90° ELBOW BSP MALE DOUBLE USE FOR 60° / NPT MALE

代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	B	S1
1BN9-04	G1/4"X19	Z1/4"X18	24.5	25.5	14
1BN9-04-02	G1/4"X19	Z1/8"X27	24.5	23.5	14
1BN9-06	G3/8"X19	Z3/8"X18	28.5	31	19
1BN9-06-04	G3/8"X19	Z1/4"X18	27.5	26.5	16
1BN9-06-08	G3/8"X19	Z1/2"X14	31	36.5	22
1BN9-08	G1/2"X14	Z1/2"X14	34.5	37.5	22
1BN9-08-06	G1/2"X14	Z3/8"X18	34.5	33	22
1BN9-12	G3/4"X14	Z3/4"X14	38	43.5	27
1BN9-12-08	G3/4"X14	Z1/2"X14	39	40	27
1BN9-12-16	G3/4"X14	Z1"X11.5	43	50	33
1BN9-16	G1"X11	Z1"X11.5	46	50	33
1BN9-16-12	G1"X11	Z3/4"X14	46	46.5	33




1BG

英管外螺纹60° 内锥或六角端面用组合垫密封 /
英管外螺纹O形圈

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED
SEAL / BSP MALE O-RING

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS			
	E	F	F端	A	B	L	S1
1BG-02	G1/8"X28	G1/8"X28	O011	10	9.5	27	14
1BG-04	G1/4"X19	G1/4"X19	O111	12	11	31	19
1BG-04-06	G1/4"X19	G3/8"X19	O113	12	11.5	32	22
1BG-06	G3/8"X19	G3/8"X19	O113	13.5	11.5	33	22
1BG-06-04	G3/8"X19	G1/4"X19	O111	13.5	11	32.5	22
1BG-08	G1/2"X14	G1/2"X14	O115	16	14	41	27
1BG-08-06	G1/2"X14	G3/8"X19	O113	16	11.5	36	27
1BG-08-12	G1/2"X14	G3/4"X14	O119	16	15.5	45.5	32
1BG-10-08	G5/8"X14	G1/2"X14	O115	17.5	14	44.5	30
1BG-12	G3/4"X14	G3/4"X14	O119	18.5	15.5	46	32
1BG-12-08	G3/4"X14	G1/2"X14	O115	18.5	14	45.5	32
1BG-16-08	G1"X11	G1/2"X14	O115	20.5	14	50.5	41
1BG-16	G1"X11	G1"X11	O217	20.5	18	53	41
1BG-16-12	G1"X11	G3/4"X14	O119	20.5	15.5	52	41
1BG-20	G1.1/4"X11	G1.1/4"X11	O222	20.5	20	58.5	50
1BG-24	G1.1/2"X11	G1.1/2"X11	O224	23	21.5	62.5	55

注： F端与DIN 3852油口相配。 F end is connected with DIN 3852 port.





1BG9-OG

90° 弯英管外螺纹60°内锥 / 英管外螺纹O形圈可调向柱端

90° ELBOW BSP MALE 60° SEAT /
BSP MALE O-RING ADJUSTABLE STUD END

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS			
	E	F	F端	A	B	S1	S2
1BG9-04OG	G1/4"X19	G1/4"X19	O111	25	31.5	14	19
1BG9-04-06OG	G1/4"X19	G3/8"X19	O113	26.5	36.8	16	22
1BG9-06OG	G3/8"X19	G3/8"X19	O113	28	36.8	16	22
1BG9-06-08OG	G3/8"X19	G1/2"X14	O115	31	43.2	22	27
1BG9-08OG	G1/2"X14	G1/2"X14	O115	34.5	43.2	22	27
1BG9-12OG	G3/4"X14	G3/4"X14	O119	40	49.3	27	32
1BG9-12-16OG	G3/4"X14	G1"X11	O217	45	53	33	41
1BG9-16OG	G1"X11	G1"X11	O217	46	53	33	41
1BG9-20-16OG	G1.1/4"X11	G1"X11	O217	50.5	58	41	41
1BG9-20OG	G1.1/4"X11	G1.1/4"X11	O222	51.5	58	41	50
1BG9-24OG	G1.1/2"X11	G1.1/2"X11	O224	58.5	63	48	55

注： F端与DIN 3852油口相配。 Note: F end is connected with DIN 3852 port.




1BJ

英管外螺纹60°内锥或六角端面用组合垫密封 /
美制JIC外螺纹74°外锥

BSP MALE DOUBLE USE FOR 60° CONE
SEAT OR BONDED SEAL / JIC MALE 74°
CONE

代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS			
	E	F	A	B	L	S1
1BJ-02-04	G1/8"X28	7/16"X20	10	14	30	14
1BJ-02-05	G1/8"X28	1/2"X20	10	14	30	14
1BJ-02-06	G1/8"X28	9/16"X18	10	14.1	30	17
1BJ-04	G1/4"X19	7/16"X20	12	14	32	19
1BJ-04-05	G1/4"X19	1/2"X20	12	14	32	19
1BJ-04-08	G1/4"X19	3/4"X16	12	16.7	36.5	22
1BJ-04-10	G1/4"X19	7/8"X14	12	19.3	39	24
1BJ-06	G3/8"X19	9/16"X18	13.5	14.1	35.5	22
1BJ-06-04	G3/8"X19	7/16"X20	13.5	14	35.5	22
1BJ-06-05	G3/8"X19	1/2"X20	13.5	14	35.5	22
1BJ-06-08	G3/8"X19	3/4"X16	13.5	16.7	38.5	22
1BJ-06-10	G3/8"X19	7/8"X14	13.5	19.3	41	24
1BJ-06-12	G3/8"X19	1.1/16"X12	13.5	21.9	45	30
1BJ-08	G1/2"X14	3/4"X16	16	16.7	43	27
1BJ-08-04	G1/2"X14	7/16"X20	16	14	40	27
1BJ-08-05	G1/2"X14	1/2"X20	16	14	40	27
1BJ-08-06	G1/2"X14	9/16"X18	16	14.1	40	27
1BJ-08-10	G1/2"X14	7/8"X14	16	19.3	45.5	27
1BJ-08-12	G1/2"X14	1.1/16"X12	16	21.9	48	30
1BJ-08-14	G1/2"X14	1.3/16"X12	16	22.6	49.5	32
1BJ-08-16	G1/2"X14	1.5/16"X12	16	23.1	50	36
1BJ-10	G5/8"X14	7/8"X14	17.5	19.3	47	30
1BJ-10-08	G5/8"X14	3/4"X16	17.5	16.7	44	30
1BJ-10-12	G5/8"X14	1.1/16"X12	17.5	21.9	49.5	30
1BJ-10-16	G5/8"X14	1.5/16"X12	17.5	23.1	51.5	36
1BJ-12	G3/4"X14	1.1/16"X12	18.5	21.9	51.5	32
1BJ-12-06	G3/4"X14	9/16"X18	18.5	14.1	43.5	32
1BJ-12-08	G3/4"X14	3/4"X16	18.5	16.7	46.5	32
1BJ-12-10	G3/4"X14	7/8"X14	18.5	19.3	49	32
1BJ-12-14	G3/4"X14	1.3/16"X12	18.5	22.6	52	32
1BJ-12-16	G3/4"X14	1.5/16"X12	18.5	23.1	52.5	34
1BJ-12-20	G3/4"X14	1.5/8"X12	18.5	24.3	55.5	46
1BJ-16	G1"X11	1.5/16"X12	20.5	23.1	57	41
1BJ-16-08	G1"X11	3/4"X16	20.5	16.7	50	41
1BJ-16-10	G1"X11	7/8"X14	20.5	19.3	53	41
1BJ-16-12	G1"X11	1.1/16"X12	20.5	21.9	55.5	41
1BJ-16-14	G1"X11	1.3/16"X12	20.5	22.6	56	41
1BJ-16-20	G1"X11	1.5/8"X12	20.5	24.3	58	46
1BJ-20	G1.1/4"X11	1.5/8"X12	20.5	24.3	62	50
1BJ-20-12	G1.1/4"X11	1.1/16"X12	20.5	21.9	57.5	50
1BJ-20-16	G1.1/4"X11	1.5/16"X12	20.5	23.1	60.5	50
1BJ-20-24	G1.1/4"X11	1.7/8"X12	20.5	27.5	63	50
1BJ-24-16	G1.1/2"X11	1.5/16"X12	23	23.1	61	55
1BJ-24-20	G1.1/2"X11	1.5/8"X12	23	24.3	62.5	55
1BJ-24	G1.1/2"X11	1.7/8"X12	23	27.5	67.5	55
1BJ-24-32	G1.1/2"X11	2.1/2"X12	23	33.9	74	65
1BJ-32	G2"X11	2.1/2"X12	25.5	33.9	77.5	70
1BJ-32-24	G2"X11	1.7/8"X12	25.5	27.5	70	70

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Nut and sleeve should be ordered separately. The nut NB200 and sleeve NB500 is suitable for metric tube, the nut NB200 and sleeve NB300 is suitable for inch tube.




1BL

英管外螺纹60°内锥或六角端面用组合垫密封 /
公制外螺纹组合垫圈

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR
BONDED SEAL / METRIC MALE WITH BONDED SEAL

代 号 PART NO.	螺 纹 THREAD		密形圈 SEAL F端	尺 寸 DIMENSIONS			
	E	F		A	B	L	S1
1BL-02-10	G1/8"X28	M10x1	ZHD-10	10	8	25	17
1BL-04-10	G1/4"X19	M10x1	ZHD-10	12	8	27	19
1BL-04-14	G1/4"X19	M14x1.5	ZHD-14	12	12	31	19
1BL-06-14	G3/8"X19	M14x1.5	ZHD-14	13.5	12	35	22
1BL-06-16	G3/8"X19	M16x1.5	ZHD-16	13.5	12	34	22
1BL-08-16	G1/2"X14	M16x1.5	ZHD-16	16	12	38	27
1BL-08-18	G1/2"X14	M18x1.5	ZHD-18	16	12	38	27
1BL-08-22	G1/2"X14	M22x1.5	ZHD-22	16	14	41.5	30
1BL-10-33	G5/8"X14	M33x2	ZHD-33	17.5	18	48.5	41
1BL-12-16	G3/4"X14	M16X1.5	ZHD-16	18.5	12	41.5	32
1BL-12-22	G3/4"X14	M22x1.5	ZHD-22	18.5	14	43.5	30
1BL-12-27	G3/4"X14	M27x2	ZHD-27	18.5	16	45.5	36
1BL-12-33	G3/4"X14	M33x2	ZHD-33	18.5	18	49.5	41
1BL-16-27	G1"X11	M27x2	ZHD-27	20.5	16	51.5	41
1BL-16-33	G1"X11	M33x2	ZHD-33	20.5	18	53.5	41
1BL-20-42	G1.1/4"X11	M42x2	ZHD-42	20.5	20	56.5	50




1BM

英管外螺纹60°内锥或六角端面用组合垫密封 / 公制外螺纹60°内锥或六角端面用组合垫密封

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / METRIC MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
1BM-02-10	G1/8"X28	M10X1	10	8	25	14
1BM-02-12	G1/8"X28	M12X1.5	10	10	27	17
1BM-04-12	G1/4"X19	M12X1.5	12	10	29	19
1BM-04-14	G1/4"X19	M14X1.5	12	11	30	19
1BM-04-16	G1/4"X19	M16X1.5	12	12	33	22
1BM-06-10	G3/8"X19	M10X1	13.5	8	29.5	22
1BM-06-12	G3/8"X19	M12X1.5	13.5	10	31.5	22
1BM-06-14	G3/8"X19	M14X1.5	13.5	11	32.5	22
1BM-06-16	G3/8"X19	M16X1.5	13.5	12	33.5	22
1BM-06-18	G3/8"X19	M18X1.5	13.5	12	34.5	24
1BM-06-20	G3/8"X19	M20X1.5	13.5	14	38.5	27
1BM-06-22	G3/8"X19	M22X1.5	13.5	14	38.5	27
1BM-08-14	G1/2"X14	M14X1.5	16	11	38	27
1BM-08-16	G1/2"X14	M16X1.5	16	12	39	27
1BM-08-18	G1/2"X14	M18X1.5	16	12	39	27
1BM-08-20	G1/2"X14	M20X1.5	16	14	41	27
1BM-08-22	G1/2"X14	M22X1.5	16	14	41	27
1BM-08-24	G1/2"X14	M24X1.5	16	14	41	30
1BM-08-26	G1/2"X14	M26X1.5	16	16	44	32
1BM-08-27D	G1/2"X14	M27X1.5	16	16	44	32
1BM-08-30	G1/2"X14	M30X1.5	16	18	45	36
1BM-10-22	G5/8"X14	M22X1.5	17.5	14	42.5	30
1BM-10-26	G5/8"X14	M26X1.5	17.5	16	45.5	32
1BM-12-18	G3/4"X14	M18X1.5	18.5	12	42.5	32
1BM-12-20	G3/4"X14	M20X1.5	18.5	14	44.5	32
1BM-12-22	G3/4"X14	M22X1.5	18.5	14	44.5	32
1BM-12-24	G3/4"X14	M24X1.5	18.5	14	44.5	32
1BM-12-26	G3/4"X14	M26X1.5	18.5	16	46.5	32
1BM-12-27	G3/4"X14	M27X2	18.5	16	46.5	32
1BM-12-27D	G3/4"X14	M27X1.5	18.5	16	46.5	32
1BM-12-30	G3/4"X14	M30X2	18.5	18	47.5	36
1BM-12-30D	G3/4"X14	M30X1.5	18.5	18	47.5	36
1BM-16-14	G1"X11	M14X1.5	20.5	11	45.5	41
1BM-16-22	G1"X11	M22X1.5	20.5	14	48.5	41




1BW

英管外螺纹60°内锥或六角端面用组合垫密封 / 焊接管

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR
BONDED SEAL / BUTT-WELD TUBE

代号 PART NO.	螺 纹 THREAD	管子直径 TUBE O.D.	尺 寸 DIMENSIONS				
	E		A	B	D	L	S1
1BW-04-10	G1/4"X19	10	12	7	10	25	19
1BW-06-14	G3/8"X19	14	13.5	8	14	29.5	22
1BW-08-18	G1/2"X14	18	16	10	18	36	27
1BW-12-22	G3/4"X14	22	18.5	10	22	39.5	32
1BW-12-28	G3/4"X14	28	18.5	12	28	41.5	32
1BW-16-30	G1"X11	30	20.5	12	30	45.5	41
1BW-20-34	G1.1/4"X11	34	20.5	14	34	49.5	50
1BW-20-36	G1.1/4"X11	36	20.5	14	36	49.5	50
1BW-20-42	G1.1/4"X11	42	20.5	16	42	51.5	50
1BW-24-36	G1.1/2"X11	36	23	14	36	52	55
1BW-24-42	G1.1/2"X11	42	23	16	42	54	55
1BW-24-50	G1.1/2"X11	50	23	16	50	54	55




2WB

焊接管 / 英管内螺纹60°外锥

BUTT-WELD TUBE / BSP FEMALE 60° CONE

代号 PART NO.		管子直径 TUBE O.D.	尺 寸 DIMENSIONS				
	F			B	D	L	S1
2WB-10-04	G1/4"X19	10		5.5	10	35	19
2WB-14-06	G3/8"X19	14		6.3	14	40	22
2WB-18-08	G1/2"X14	18		7.5	18	50	27
2WB-22-08	G1/2"X14	22		7.5	22	50	27
2WB-22-12	G3/4"X14	22		10.9	22	62	32
2WB-34-20	G1.1/4"X11	34		11	34	68	50
2WB-42-20	G1.1/4"X11	42		11	42	59.5	50
2WB-50-24	G1.1/2"X11	50		13	50	57.5	55




1B-WD

英管外螺纹60° 内锥或六角端面用组合垫密封 /
英管外螺纹胶垫密封

BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / BSP MALE CAPTIVE SEAL

代号 PART NO.	螺纹 THREAD		胶垫 CAPTIVE F端	尺寸 DIMENSIONS				
	E	F		A	B	L	S1	
1B-04WD	G1/4"X19	G1/4"X19	WD-B04	12	12	32	19	
1B-04-06WD	G1/4"X19	G3/8"X19	WD-B06	12	12	34.5	22	
1B-04-08WD	G1/4"X19	G1/2"X14	WD-B08	12	14	39	27	
1B-06WD	G3/8"X19	G3/8"X19	WD-B06	13.5	12	34	22	
1B-06-08WD	G3/8"X19	G1/2"X14	WD-B08	13.5	14	40.5	27	
1B-08-12WD	G1/2"X14	G3/4"X14	WD-B12	16	16	46	32	
1B-12WD	G3/4"X14	G3/4"X14	WD-B12	18.5	16	46.5	32	
1B-12-16WD	G3/4"X14	G1"X11	WD-B16	18.5	18	52.5	41	
1B-16WD	G1"X11	G1"X11	WD-B16	20.5	18	54.5	41	
1B-16-20WD	G1"X11	G1.1/4"X11	WD-B20	20.5	20	58.5	50	
1B-20WD	G1.1/4"X11	G1.1/4"X11	WD-B20	20.5	20	58.5	50	




2BJ-WD

英管外螺纹胶垫密封 / 美制JIC内螺纹74°内锥

BSP MALE CAPTIVE SEAL /
JIC FEMALE 74° SEAT

代号 PART NO.	螺纹 THREAD		胶垫 CAPTIVE E端	尺寸 DIMENSIONS				
	E	F		A	B	L	S1	S2
2BJ-02-04WD	G1/8"X28	7/16"X20	WD-B02	8	9	23.5	14	15
2BJ-04-05WD	G1/4"X19	1/2"X20	WD-B04	12	9.5	28.5	19	17
2BJ-04-06WD	G1/4"X19	9/16"X18	WD-B04	12	10.5	28.5	19	19
2BJ-04-08WD	G1/4"X19	3/4"X16	WD-B04	12	11	30.5	19	24
2BJ-04WD	G1/4"X19	7/16"X20	WD-B04	12	9	28	19	15
2BJ-06WD	G3/8"X19	9/16"X18	WD-B06	12	10.5	31	22	19
2BJ-08-06WD	G1/2"X14	9/16"X18	WD-B08	14	10.5	33.5	27	19
2BJ-08-10WD	G1/2"X14	7/8"X14	WD-B08	14	13	38	27	27
2BJ-08WD	G1/2"X14	3/4"X16	WD-B08	14	11	37.5	27	24
2BJ-12-16WD	G3/4"X14	1.5/16"X12	WD-B12	16	16	42.5	32	41
2BJ-12WD	G3/4"X14	1.1/16"X12	WD-B12	16	15	42.5	32	32
2BJ-16WD	G1"X11	1.5/16"X12	WD-B16	18	16	46.5	41	41
2BJ-20-16WD	G1.1/4"X11	1.5/16"X12	WD-B20	20	16	50.5	50	41
2BJ-20WD	G1.1/4"X11	1.5/8"X12	WD-B20	20	17	54.5	50	50
2BJ-24WD	G1.1/2"X11	1.7/8"X12	WD-B24	22	20	58.5	55	55




2NB

布锥管外螺纹 / 英管内螺纹60°外锥

NPT MALE / BSP FEMALE 60° CONE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B	L	S1	S2
2NB-02	Z1/8"X27	G1/8"X28	10.5	5.5	25.5	12	14
2NB-02-04	Z1/8"X27	G1/4"X19	10.5	5.5	27	14	19
2NB-04	Z1/4"X18	G1/4"X19	15	5.5	31	17	19
2NB-04-06	Z1/4"X18	G3/8"X19	15	6.3	32.5	17	22
2NB-04-08	Z1/4"X18	G1/2"X14	15	7.5	35	19	27
2NB-06-08	Z3/8"X18	G1/2"X14	16	7.5	36	19	27
2NB-08	Z1/2"X14	G1/2"X14	19.5	7.5	41	22	27
2NB-08-06	Z1/2"X14	G3/8"X19	19.5	6.3	39.5	24	24
2NB-08-12	Z1/2"X14	G3/4"X14	19.5	10.9	44.5	27	32
2NB-12	Z3/4"X14	G3/4"X14	19.5	10.9	44.5	30	32
2NB-12-16	Z3/4"X14	G1"X11	19.5	11.7	46.5	32	41
2NB-16	Z1"X11.5	G1"X11	25.5	11.7	52.5	36	41
2NB-16-20	Z1"X11.5	G1.1/4"X11	25.5	11	59.5	41	50
2NB-20	Z1.1/4"X11.5	G1.1/4"X11	26.5	11	60.4	46	50
2NB-24	Z1.1/2"X11.5	G1.1/2"X11	27.5	13	62	50	55
2NB-32	Z2"X11.5	G2"X11	27.5	20	65.4	65	70




2NB9

90°弯布锥管外螺纹 / 英管内螺纹60°外锥

90° ELBOW NPT MALE / BSP FEMALE 60° CONE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B		S1	S2
2NB9-02	Z1/8"X27	G1/8"X28	21	5.5		11	14
2NB9-04	Z1/4"X18	G1/4"X19	25.5	5.5		14	19
2NB9-04-06	Z1/4"X18	G3/8"X19	25.5	6.3		14	22
2NB9-06	Z3/8"X18	G3/8"X19	31	6.3		19	22
2NB9-06-04	Z3/8"X18	G1/4"X19	31	5.5		19	19
2NB9-08	Z1/2"X14	G1/2"X14	37.3	7.5		22	27
2NB9-08-06	Z1/2"X14	G3/8"X19	36.7	6.3		22	22
2NB9-12	Z3/4"X14	G3/4"X14	43.5	10.9		27	32
2NB9-12-08	Z3/4"X14	G1/2"X14	45	7.5		27	27
2NB9-12-16	Z3/4"X14	G1"X11	45	11.7		30	41
2NB9-16	Z1"X11.5	G1"X11	50	11.7		33	41
2NB9-16-12	Z1"X11.5	G3/4"X14	50	10.9		33	32
2NB9-20	Z1.1/4"X11.5	G1.1/4"X11	54.5	11		41	50
2NB9-24	Z1.1/2"X11.5	G1.1/2"X11	59	13		48	55
2NB9-32	Z2"X11.5	G2"X11	73.5	16		63	70




2TB-SP

英锥管外螺纹 / 英管内螺纹60°外锥

BSPT MALE / BSP FEMALE 60° CONE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B	L	S1	S2
2TB-02SP	R1/8"X28	G1/8"X28	10	5.5	25	12	14
2TB-04SP	R1/4"X19	G1/4"X19	14.5	5.5	31.5	17	19
2TB-06SP	R3/8"X19	G3/8"X19	15	6.3	33	19	22
2TB-06-04SP	R3/8"X19	G1/4"X19	15	5.5	32	19	19
2TB-06-08SP	R3/8"X19	G1/2"X14	15	7.5	35	19	27
2TB-08SP	R1/2"X14	G1/2"X14	20	7.5	42	22	27
2TB-08-12SP	R1/2"X14	G3/4"X14	20	10.9	45	27	32
2TB-12SP	R3/4"X14	G3/4"X14	20	10.9	45	30	32
2TB-12-08SP	R3/4"X14	G1/2"X14	20	7.5	44	30	27
2TB-12-16SP	R3/4"X14	G1"X11	20	11.7	47	32	41
2TB-16SP	R1"X11	G1"X11	25.5	11.7	52.5	36	41
2TB-16-12SP	R1"X11	G3/4"X14	25.5	10.9	51.5	36	32
2TB-20-16SP	R1.1/4"X11	G1"X11	26.5	11.7	55.5	46	41
2TB-20SP	R1.1/4"X11	G1.1/4"X11	26.5	11	59	46	50
2TB-24SP	R1.1/2"X11	G1.1/2"X11	26.5	13	61.5	50	55
2TB-32SP	R2"X11	G2"X11	30	16	68	65	70




2TB9-SP

90° 弯英锥管外螺纹 / 英管内螺纹60°外锥

90° ELBOW BSPT MALE / BSP FEMALE 60° CONE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B		S1	S2
2TB9-02SP	R1/8"X28	G1/8"X28	21	5.5		11	14
2TB9-04SP	R1/4"X19	G1/4"X19	25.5	5.5		14	19
2TB9-06SP	R3/8"X19	G3/8"X19	28.5	6.3		16	22
2TB9-06-08SP	R3/8"X19	G1/2"X14	31	7.5		19	27
2TB9-08-06SP	R1/2"X14	G3/8"X19	36	6.3		22	22
2TB9-08-12SP	R1/2"X14	G3/4"X14	37	10.9		24	32
2TB9-12-08SP	R3/4"X14	G1/2"X14	43.5	7.5		27	27
2TB9-12SP	R3/4"X14	G3/4"X14	43.5	10.9		27	32
2TB9-16SP	R1"X11	G1"X11	50	11.7		33	41
2TB9-20SP	R1.1/4"X11	G1.1/4"X11	58	11		41	50
2TB9-24SP	R1.1/2"X11	G1.1/2"X11	62.5	13		48	55




4BN-WD

英管外螺纹胶垫密封内六角堵头

BSP MALE CAPTIVE SEAL HOLLOW HEX PLUG

代号 PART NO.	螺 纹 THREAD E	胶 垫 CAPTIVE E端	尺 寸 DIMENSIONS		
			A	L	S1
4BN-02WD	G1/8"X28	WD-B02	8	12.2	5
4BN-04WD	G1/4"X19	WD-B04	12	17.2	6
4BN-06WD	G3/8"X19	WD-B06	12	17.2	8
4BN-08WD	G1/2"X14	WD-B08	14	19.2	10
4BN-12WD	G3/4"X14	WD-B12	16	21.2	12
4BN-20WD	G1.1/4"X11	WD-B20	20	26.8	22
4BN-24WD	G1.1/2"X11	WD-B24	22	28.8	24




4B-WD

英管外螺纹胶垫密封堵头

BSP MALE CAPTIVE SEAL PLUG

代号 PART NO.	螺 纹 THREAD E	胶 垫 CAPTIVE E端	尺 寸 DIMENSIONS		
			A	L	S1
4B-02WD	G1/8"X28	WD-B02	8	15.5	14
4B-04WD	G1/4"X19	WD-B04	12	19.6	19
4B-06WD	G3/8"X19	WD-B06	12	22.5	22
4B-08WD	G1/2"X14	WD-B08	14	25	27
4B-12WD	G3/4"X14	WD-B12	16	29	32
4B-16WD	G1"X11	WD-B16	18	35	41
4B-24WD	G1.1/2"X11	WD-B24	22	40	55




5B

英管外螺纹60°内锥或六角端面用组合垫密封
/ 英管内螺纹 ISO 1179

BSP MALE DOUBLE USE FOR 60° CONE
SEAT OR BONDED SEAL / BSP FEMALE
ISO 1179

代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	L	S1
5B-02-04	G1/8"X28	G1/4"X19	11	29	19
5B-04-02	G1/4"X19	G 1/8"X28	12	28	19
5B-04	G1/4"X19	G1/4"X19	12	33	19
5B-04-06	G1/4"X19	G3/8"X19	12	36	22
5B-06-04	G3/8"X19	G1/4"X19	13.5	33.5	22
5B-06-08	G3/8"X19	G1/2"X14	13.5	42.5	27
5B-08-06	G1/2"X14	G3/8"X19	16	38	27
5B-08	G1/2"X14	G1/2"X14	16	45	27
5B-08-10	G1/2"X14	G5/8"X14	16	46	30
5B-08-12	G1/2"X14	G3/4"X14	16	44.5	36
5B-10-08	G5/8"X14	G1/2"X14	16	41.5	30
5B-12-08	G3/4"X14	G1/2"X14	18.5	44.5	32
5B-12	G3/4"X14	G3/4"X14	18.5	48	36
5B-12-16	G3/4"X14	G1"X11	18.5	53.5	41
5B-16-12	G1"X11	G3/4"X14	20.5	47.5	41
5B-16	G1"X11	G1"X11	20.5	55.5	41
5B-16-20	G1"X11	G1.1/4"X11	20.5	56.5	50
5B-20-16	G1.1/4"X11	G1"X11	20.5	49	50
5B-20	G1.1/4"X11	G1.1/4"X11	20.5	52.5	50
5B-20-24	G1.1/4"X11	G1.1/2"X11	20.5	57.5	55
5B-24	G1.1/2"X11	G1.1/2"X11	23	58	55
5B-32-24	G2"X11	G1.1/2"X11	26	59.5	70
5B-32	G2"X11	G2"X11	26	63	70




5B9

90° 弯英管外螺纹60°内锥 / 英管内螺纹 ISO 1179

90° ELBOW BSP MALE 60° SEAT / BSP FEMALE ISO 1179

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	B	S1
5B9-02	G1/8"X28	G1/8"X28	22.5	20	16
5B9-04	G1/4"X19	G1/4"X19	25.5	22	19
5B9-06	G3/8"X19	G3/8"X19	30.5	26	24
5B9-08	G1/2"X14	G1/2"X14	39	31	30
5B9-12	G3/4"X14	G3/4"X14	43.5	37	33
5B9-20	G1.1/4"X11	G1.1/4"X11	55	46	50




7B

英管内螺纹 ISO 1179

BSP FEMALE ISO 1179

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F		L	S1
7B-02	G1/8"X28	G1/8"X28		22	14
7B-02-04	G1/8"X28	G1/4"X19		24	19
7B-04	G1/4"X19	G1/4"X19		24	19
7B-04-06	G1/4"X19	G3/8"X19		29	22
7B-06	G3/8"X19	G3/8"X19		26	22
7B-08	G1/2"X14	G1/2"X14		32	27
7B-08-10	G1/2"X14	G5/8"X14		36	30
7B-10	G5/8"X14	G5/8"X14		36	30
7B-12	G3/4"X14	G3/4"X14		36	32
7B-12-16	G3/4"X14	G1"X11		43	41
7B-16	G1"X11	G1"X11		40	41
7B-16-20	G1"X11	G1.1/4"X11		46	50
7B-20	G1.1/4"X11	G1.1/4"X11		44	50
7B-20-24	G1.1/4"X11	G1.1/2"X11		48	55
7B-24	G1.1/2"X11	G1.1/2"X11		45	55
7B-24-32	G1.1/2"X11	G2"X11		56	70
7B-32	G2"X11	G2"X11		54	70




7TB-S

英锥管内螺纹 / 英管内螺纹60°外锥

BSPT FEMALE / BSP FEMALE 60° CONE

代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS			
	E	F	B	L	S1	S2
7TB-02-04S	Rc1/8"X28	G1/4"X19	5.5	26.5	17	19
7TB-04S	Rc1/4"X19	G1/4"X19	5.5	31	19	19
7TB-04-06S	Rc1/4"X19	G3/8"X19	6.3	31	19	22
7TB-06S	Rc3/8"X19	G3/8"X19	6.3	35.2	22	22
7TB-06-08S	Rc3/8"X19	G1/2"X14	7.5	37	22	27
7TB-08S	Rc1/2"X14	G1/2"X14	7.5	42	27	27
7TB-12S	Rc3/4"X14	G3/4"X14	10.9	45.1	36	32
7TB-16S	Rc1"X11	G1"X11	11.7	51.3	41	41




7B9-PK

90° 英管内螺纹 ISO 1179

90° BSP FEMALE ISO 1179

代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS			
	E	F	A	B	S1	S1
7B9-02PK	G1/8"X28	G1/8"X28	20	20	16	16
7B9-04PK	G1/4"X19	G1/4"X19	22.5	22.5	19	19
7B9-06PK	G3/8"X19	G3/8"X19	26	26	24	24
7B9-08PK	G1/2"X14	G1/2"X14	31	31	27	27
7B9-12PK	G3/4"X14	G3/4"X14	34	34	33	33
7B9-20PK	G1.1/4"X11	G1.1/4"X11	48	48	50	50
7B9-24PK	G1.1/2"X11	G1.1/2"X11	53	53	60	60
7B9-32PK	G2"X11	G2"X11	62	62	70	70




GB-PK

英管内螺纹 ISO 1179 三通

BSP FEMALE ISO 1179 TEE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F	G	A	B	C	S1
GB-02PK	G1/8"X28	G1/8"X28	G1/8"X28	20	20	20	16
GB-04PK	G1/4"X19	G1/4"X19	G1/4"X19	22.5	22.5	22.5	19
GB-06PK	G3/8"X19	G3/8"X19	G3/8"X19	26	26	26	24
GB-08PK	G1/2"X14	G1/2"X14	G1/2"X14	31	31	31	27
GB-12PK	G3/4"X14	G3/4"X14	G3/4"X14	34	34	34	33
GB-20PK	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11	48	48	48	50
GB-24PK	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11	53	53	53	60
GB-32PK	G2"X11	G2"X11	G2"X11	62	62	62	70




5BN

英管外螺纹60° 内锥或六角端面用组合垫密封 /
美制布锥管内螺纹

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR
BONDED SEAL / NPT FEMALE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F		A	L		S1
5BN-04	G1/4"X19	Z1/4"X18		12	31		19
5BN-06	G3/8"X19	Z3/8"X18		13.5	33		22
5BN-08	G1/2"X14	Z1/2"X14		16	42		30
5BN-12	G3/4"X14	Z3/4"X14		18.5	44.5		36
5BN-16	G1"X11	Z1"X11.5		20.5	52		41
5BN-24	G1.1/2"X11	Z1.1/2"X11.5		23	60		60
5BN-32	G2"X11	Z2"X11.5		25.5	62		70




5B-WD

英管外螺纹胶垫密封 / 英管内螺纹 ISO 1179

BSP MALE CAPTIVE SEAL / BSP FEMALE ISO 1179

代 号 PART NO.	螺 纹 THREAD		胶 垫 CAPTIVE E端	尺 寸 DIMENSIONS		
	E	F		A	L	S1
5B-02-04WD	G1/8"X28	G1/4"X19	WD-B02	8	30.5	19
5B-02-06WD	G1/8"X28	G3/8"X19	WD-B02	8	33.5	22
5B-04-02WD	G1/4"X19	G 1/8"X28	WD-B04	12	31.5	19
5B-04-06WD	G1/4"X19	G3/8"X19	WD-B04	12	37	22
5B-04-08WD	G1/4"X19	G1/2"X14	WD-B04	12	43	27
5B-06-04WD	G3/8"X19	G1/4"X19	WD-B06	12	37.5	22
5B-06-08WD	G3/8"X19	G1/2"X14	WD-B06	12	43.5	27
5B-08-04WD	G1/2"X14	G1/4"X19	WD-B08	14	38	27
5B-08-06WD	G1/2"X14	G3/8"X19	WD-B08	14	41	27
5B-08-12WD	G1/2"X14	G3/4"X14	WD-B08	14	46	36
5B-12-08WD	G3/4"X14	G1/2"X14	WD-B12	16	47.5	32
5B-12-16WD	G3/4"X14	G1"X11	WD-B12	16	53.5	41
5B-12-20WD	G3/4"X14	G1.1/4"X11	WD-B12	16	54.5	50
5B-16-12WD	G1"X11	G3/4"X14	WD-B16	18	50.5	41
5B-16-20WD	G1"X11	G1.1/4"X11	WD-B16	18	56.5	50
5B-20-16WD	G1.1/4"X11	G1"X11	WD-B20	20	57.5	50
5B-20-24WD	G1.1/4"X11	G1.1/2"X11	WD-B20	20	59.5	55
5B-20-32WD	G1.1/4"X11	G2"X11	WD-B20	20	64	70
5B-24-16WD	G1.1/2"X11	G1"X11	WD-B24	22	59.5	55
5B-24-20WD	G1.1/2"X11	G1.1/4"X11	WD-B24	22	60	55
5B-24-32WD	G1.1/2"X11	G2"X11	WD-B24	22	66	70




5BT

英管外螺纹60° 内锥或六角端面用组合垫密封 / 英锥管内螺纹

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / BSPT FEMALE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS				
	E	F		A		L		S1
5BT-04-02	G1/4"X19	Rc1/8"X28		12		28		19
5BT-04	G1/4"X19	Rc1/4"X19		12		33.5		19
5BT-04-06	G1/4"X19	Rc3/8"X19		12		34		22
5BT-04-08	G1/4"X19	Rc1/2"X14		12		41		27
5BT-06-04	G3/8"X19	Rc1/4"X19		13.5		35		22
5BT-08-06	G1/2"X14	Rc3/8"X19		16		39.5		27
5BT-08	G1/2"X14	Rc1/2"X14		16		45		27
5BT-10-08	G5/8"X14	Rc1/2"X14		17.5		43.5		30
5BT-12-08	G3/4"X14	Rc1/2"X14		18.5		47.5		32
5BT-12	G3/4"X14	Rc3/4"X14		18.5		49		36
5BT-16-12	G1"X11	Rc3/4"X14		20.5		47.5		41
5BT-16	G1"X11	Rc1"X11		20.5		57		41
5BT-20	G1.1"X11	Rc1.1/4"X11		20.5		58.5		50
5BT-24	G1.1/2"X11	Rc1.1/2"X11		23		61		55




2B-G

英管螺纹60°内锥 / 英管内螺纹表接头

BSP MALE 60° SEAT / BSP FEMALE PRESSURE GAUGE CONNECTORS

代号 PART NO.	螺 纹 THREAD		紫铜片COPPE F端	尺 寸 DIMENSIONS				
	E	F		A	B	L	S1	S2
2B-02-04G	G1/8"X28	G1/4"X19	DP-B04G	10	14.5	24.5	14	19
2B-04G	G1/4"X19	G1/4"X19	DP-B04G	12	14.5	26.5	19	19
2B-04-08G	G1/4"X19	G1/2"X14	DP-B08G	12	20	29	19	27
2B-06-04G	G3/8"X19	G1/4"X19	DP-B04G	13.5	14.5	30	22	19
2B-08-04G	G1/2"X14	G1/4"X19	DP-B04G	16	14.5	34.5	27	19




1T-SP

英锥管外螺纹

BSPT MALE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
1T-02SP	R1/8"X28	R1/8"X28	10	10	26	12
1T-02-04SP	R1/8"X28	R1/4"X19	10	14.5	30.5	14
1T-02-06SP	R1/8"X28	R3/8"X19	10	15	31	17
1T-04SP	R1/4"X19	R1/4"X19	14.5	14.5	34	14
1T-04-06SP	R1/4"X19	R3/8"X19	14.5	15	35	17
1T-06SP	R3/8"X19	R3/8"X19	15	15	36	17
1T-06-08SP	R3/8"X19	R1/2"X14	15	20	43	22
1T-08SP	R1/2"X14	R1/2"X14	20	20	46	22
1T-08-12SP	R1/2"X14	R3/4"X14	20	20	48	27
1T-12SP	R3/4"X14	R3/4"X14	20	20	48	27
1T-12-16SP	R3/4"X14	R1"X11	20	25.5	55.5	36
1T-16SP	R1"X11	R1"X11	25.5	25.5	61	36
1T-16-20SP	R1"X11	R1.1/4"X11	25.5	26.5	64.5	46
1T-20SP	R1.1/4"X11	R1.1/4"X11	26.5	26.5	65.5	46
1T-20-24SP	R1.1/4"X11	R1.1/2"X11	26.5	26.5	67	50
1T-24SP	R1.1/2"X11	R1.1/2"X11	26.5	26.5	67	50
1T-24-32SP	R1.1/2"X11	R2"X11	26.5	30	71.5	65
1T-32SP	R2"X11	R2"X11	30	30	75	65




1T9-SP

90° 弯英锥管外螺纹

90° ELBOW BSPT MALE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B		S1
1T9-02SP	R1/8"X28	R1/8"X28	21	21		11
1T9-02-04SP	R1/8"X28	R1/4"X19	23.5	25.5		14
1T9-04SP	R1/4"X19	R1/4"X19	25.5	25.5		14
1T9-04-06SP	R1/4"X19	R3/8"X19	26.5	28.5		16
1T9-04-08SP	R1/4"X19	R1/2"X14	30.5	36		22
1T9-06-08SP	R3/8"X19	R1/2"X14	32.5	36		22
1T9-08SP	R1/2"X14	R1/2"X14	36	36		22
1T9-08-12SP	R1/2"X14	R3/4"X14	39.5	43.5		27
1T9-12SP	R3/4"X14	R3/4"X14	43.5	43.5		27
1T9-12-16SP	R3/4"X14	R1"X11	48	50		33
1T9-16SP	R1"X11	R1"X11	50	50		33
1T9-16-20SP	R1"X11	R1.1/4"X11	56.5	57.5		41
1T9-20SP	R1.1/4"X11	R1.1/4"X11	57.5	57.5		41
1T9-24SP	R1.1/2"X11	R1.1/2"X11	62.5	62.5		48
1T9-32SP	R2"X11	R2"X11	68	75		63




4T-SP

英锥管外螺纹堵头

BSPT MALE PLUG

代号 PART NO.	螺 纹 THREAD	尺 寸 DIMENSIONS		
	E	A	L	S1
4T-02SP	R1/8"X28	10	16	12
4T-04SP	R1/4"X19	14.5	20	14
4T-06SP	R3/8"X19	15	21	17
4T-08SP	R1/2"X14	20	27	22
4T-12SP	R3/4"X14	20	29	27
4T-20SP	R1.1/4"X11	26.5	38.5	46
4T-24SP	R1.1/2"X11	26.5	42	50
4T-32SP	R2"X11	30	47	65




4TN

英锥管外螺纹内六角堵头

BSPT MALE HOLLOW HEX PLUG

代号 PART NO.	螺 纹 THREAD	尺 寸 DIMENSIONS		
	E		L	S1
4TN-02	R1/8"X28		8	5
4TN-04	R1/4"X19		10	6
4TN-06	R3/8"X19		12	8
4TN-08	R1/2"X14		15	10
4TN-12	R3/4"X14		18	12
4TN-20	R1.1/"X11		22	22




5T-SP

英锥管外螺纹 / 英锥管内螺纹

BSPT MALE / BSPT FEMALE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	L	S1
5T-02-04SP	R1/8"X28	Rc1/4"X19	11	32.5	19
5T-04-02SP	R1/4"X19	Rc1/8"X28	14.5	20.5	14
5T-04SP	R1/4"X19	Rc1/4"X19	14.5	36	19
5T-04-06SP	R1/4"X19	Rc3/8"X19	14.5	38	22
5T-06-02SP	R3/8"X19	Rc1/8"X28	15	23	19
5T-06SP	R3/8"X19	Rc3/8"X19	15	38.5	22
5T-06-08SP	R3/8"X19	Rc1/2"X14	15	44	27
5T-08-04SP	R1/2"X14	Rc1/4"X19	20	30	24
5T-08-06SP	R1/2"X14	Rc3/8"X19	20	30	24
5T-08SP	R1/2"X14	Rc1/2"X14	20	49	27
5T-08-12SP	R1/2"X14	Rc3/4"X14	20	51	36
5T-12-06SP	R3/4"X14	Rc3/8"X19	20	31	30
5T-12-08SP	R3/4"X14	Rc1/2"X14	20	31	30
5T-12SP	R3/4"X14	Rc3/4"X14	20	51	36
5T-12-16SP	R3/4"X14	Rc1"X11	20	56.5	41
5T-16-08SP	R1"X11	Rc1/2"X14	25.5	37	36
5T-16-12SP	R1"X11	Rc3/4"X14	25.5	37	36
5T-16SP	R1"X11	Rc1"X11	25.5	60	41
5T-16-20SP	R1"X11	Rc1.1/4"X11	25.5	64	50
5T-20-12SP	R1.1/4"X11	Rc3/4"X14	26.5	38	46
5T-20-16SP	R1.1/4"X11	Rc1"X11	26.5	38	46
5T-20SP	R1.1/4"X11	Rc1.1/4"X11	26.5	64.5	50
5T-24-16SP	R1.1/2"X11	Rc1"X11	26.5	41	50
5T-24-20SP	R1.1/2"X11	Rc1.1/4"X11	26.5	41	50
5T-32-20SP	R2"X11	Rc1.1/4"X11	30	45	65
5T-32-24SP	R2"X11	Rc1.1/2"X11	30	45	65




5T9-SP

90° 弯英锥管外螺纹 / 英锥管内螺纹

90° ELBOW BSPT MALE / BSPT FEMALE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	B	S1
5T9-02SP	R1/8"X28	Rc1/8"X28	24.5	23	16
5T9-04SP	R1/4"X19	Rc1/4"X19	28.5	25	19
5T9-06SP	R3/8"X19	Rc3/8"X19	33.5	25	24
5T9-08SP	R1/2"X14	Rc1/2"X14	40.8	31.5	30
5T9-16SP	R1"X11	Rc1"X11	56.5	43	41
5T9-20SP	R1.1/4"X11	Rc1.1/4"X11	61	50	48
5T9-24SP	R1.1/2"X11	Rc1.1/2"X11	75	55	63




7T

英锥管内螺纹

BSPT FEMALE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F		L	S1
7T-02	Rc1/8"X28	Rc1/8"X28		20	14
7T-02-04	Rc1/8"X28	Rc1/4"X19		30	19
7T-04	Rc1/4"X19	Rc1/4"X19		30	19
7T-04-06	Rc1/4"X19	Rc3/8"X19		30	22
7T-04-08	Rc1/4"X19	Rc1/2"X14		40	27
7T-06-08	Rc3/8"X19	Rc1/2"X14		40	27
7T-06-12	Rc3/8"X19	Rc3/4"X14		37	36
7T-08	Rc1/2"X14	Rc1/2"X14		40	27
7T-08-12	Rc1/2"X14	Rc3/4"X14		42	36
7T-12	Rc3/4"X14	Rc3/4"X14		42	36
7T-12-16	Rc3/4"X14	Rc1"X11		50	41
7T-16	Rc1"X11	Rc1"X11		50	41
7T-16-20	Rc1"X11	Rc1.1/4"X11		52	50
7T-20	Rc1.1/4"X11	Rc1.1/4"X11		55	50
7T-24	Rc1.1/2"X11	Rc1.1/2"X11		55	55
7T-32	Rc2"X11	Rc2"X11		65	70




7T9-PK

90°弯英锥管内螺纹

90° ELBOW BSPT FEMALE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	B	S1
7T9-02PK	Rc1/8"X28	Rc1/8"X28	20	20	16
7T9-02-04PK	Rc1/8"X28	Rc1/4"X19	20	22.5	19
7T9-04PK	Rc1/4"X19	Rc1/4"X19	22.5	22.5	19
7T9-06PK	Rc3/8"X19	Rc3/8"X19	26	26	24
7T9-08PK	Rc1/2"X14	Rc1/2"X14	31	31	27
7T9-16PK	Rc1"X11	Rc1"X11	42	42	41
7T9-20PK	Rc1.1/4"X11	Rc1.1/4"X11	48	48	50
7T9-24PK	Rc1.1/2"X11	Rc1.1/2"X11	53	53	60
7T9-32PK	Rc2"X11	Rc2"X11	62	62	70




GT-PK

英锥管内螺纹 三通

BSPT FEMALE TEE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F	G	A	B	C	S1
GT-02PK	Rc1/8"X28	Rc1/8"X28	Rc1/8"X28	20	20	20	16
GT-04PK	Rc1/4"X19	Rc1/4"X19	Rc1/4"X19	22.5	22.5	22.5	19
GT-06PK	Rc3/8"X19	Rc3/8"X19	Rc3/8"X19	26	26	26	24
GT-08PK	Rc1/2"X14	Rc1/2"X14	Rc1/2"X14	31	31	31	27
GT-12PK	Rc3/4"X14	Rc3/4"X14	Rc3/4"X14	34	34	34	33
GT-16PK	Rc1"X11	Rc1"X11	Rc1"X11	42	42	42	41
GT-24PK	Rc1.1/2"X11	Rc1.1/2"X11	Rc1.1/2"X11	53	53	53	60
GT-32K	Rc2"X11	Rc2"X11	Rc2"X11	62	62	62	70




1N

美制布锥管外螺纹

NPT MALE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
1N-02	Z1/8"X27	Z1/8"X27	10.5	10.5	27	12
1N-02-04	Z1/8"X27	Z1/4"X18	10.5	15	31	17
1N-02-06	Z1/8"X27	Z3/8"X18	10.5	16	32	19
1N-04	Z1/4"X18	Z1/4"X18	15	15	35	17
1N-04-06	Z1/4"X18	Z3/8"X18	15	16	37	19
1N-06	Z3/8"X18	Z3/8"X18	16	16	38	19
1N-06-08	Z3/8"X18	Z1/2"X14	16	19.5	43.5	22
1N-06-12	Z3/8"X18	Z3/4"X14	16	19.5	45.5	27
1N-08	Z1/2"X14	Z1/2"X14	19.5	19.5	47	22
1N-08-12	Z1/2"X14	Z3/4"X14	19.5	19.5	49	27
1N-08-16	Z1/2"X14	Z1"X11.5	19.5	25.5	56	36
1N-12	Z3/4"X14	Z3/4"X14	19.5	19.5	49	27
1N-12-16	Z3/4"X14	Z1"X11.5	19.5	25.5	55	36
1N-12-20	Z3/4"X14	Z1.1/4"X11.5	19.5	26.5	59	46
1N-16	Z1"X11.5	Z1"X11.5	25.5	25.5	61	36
1N-16-20	Z1"X11.5	Z1.1/4"X11.5	25.5	26.5	64	46
1N-16-24	Z1"X11.5	Z1.1/2"X11.5	25.5	27.5	68	50
1N-20	Z1.1/4"X11.5	Z1.1/4"X11.5	26.5	26.5	65	46
1N-20-24	Z1.1/4"X11.5	Z1.1/2"X11.5	26.5	27.5	69	50
1N-24	Z1.1/2"X11.5	Z1.1/2"X11.5	27.5	27.5	69	50
1N-24-32	Z1.1/2"X11.5	Z2"X11.5	27.5	27.5	72	65
1N-32	Z2"X11.5	Z2"X11.5	27.5	27.5	71	65




1N9

90°弯布锥管外螺纹

90° ELBOW NPT MALE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B		S1
1N9-02	Z1/8"X27	Z1/8"X27	21	21		11
1N9-02-04	Z1/8"X27	Z1/4"X18	23.5	25.5		14
1N9-04	Z1/4"X18	Z1/4"X18	25.5	25.5		14
1N9-04-06	Z1/4"X18	Z3/8"X18	28	31		19
1N9-04-08	Z1/4"X18	Z1/2"X14	30.5	36.5		22
1N9-06-08	Z3/8"X18	Z1/2"X14	33.8	37.3		22
1N9-08	Z1/2"X14	Z1/2"X14	37.3	37.3		22
1N9-08-12	Z1/2"X14	Z3/4"X14	40	44		27
1N9-12	Z3/4"X14	Z3/4"X14	44	44		27
1N9-12-16	Z3/4"X14	Z1"X11.5	46.5	50		33
1N9-16	Z1"X11.5	Z1"X11.5	50	50		33
1N9-20	Z1.1/4"X11.5	Z1.1/4"X11.5	54	54		41
1N9-24	Z1.1/2"X11.5	Z1.1/2"X11.5	63	63		48
1N9-32	Z2"X11.5	Z2"X11.5	68	68		63




4N

美制布锥管外螺纹堵头

NPT MALE PLUG

代号 PART NO.	螺 纹 THREAD	尺 寸 DIMENSIONS		
	E	A	L	S1
4N-02	Z1/8"X27	10.5	16	12
4N-04	Z1/4"X18	15	20	17
4N-06	Z3/8"X18	16	21	19
4N-08	Z1/2"X14	19.5	27	22
4N-12	Z3/4"X14	19.5	29.5	27
4N-16	Z1"X11.5	25.5	36.5	36
4N-24	Z1.1/2"X11.5	27.5	43	50
4N-32	Z2"X11.5	27.5	43.5	65




4NN

美布锥管外螺纹内六角堵头

NPT MALE HOLLOW HEX PLUG

代号 PART NO.	螺 纹 THREAD	尺 寸 DIMENSIONS		
	E		L	S1
4NN-02	Z1/8"X27		8	5
4NN-04	Z1/4"X18		10	6
4NN-06	Z3/8"X18		12	8
4NN-08	Z1/2"X14		15	10
4NN-12	Z3/4"X14		16	12




5N

布锥管外螺纹 / 布锥管内螺纹

NPT MALE / NPT FEMALE

代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	L	S1
5N-02	Z1/8"X27	Z1/8"X27	10.5	25.5	17
5N-02-04	Z1/8"X27	Z1/4"X18	10.5	31	19
5N-02-06	Z1/8"X27	Z3/8"X18	11	31	24
5N-04-02	Z1/4"X18	Z1/8"X27	15	22	17
5N-04	Z1/4"X18	Z1/4"X18	15	35.3	19
5N-04-06	Z1/4"X18	Z3/8"X18	15	36.6	24
5N-06-02	Z3/8"X18	Z1/8"X27	16	22	19
5N-06-04	Z3/8"X18	Z1/4"X18	16	22	19
5N-06	Z3/8"X18	Z3/8"X18	16	37.6	24
5N-06-08	Z3/8"X18	Z1/2"X14	17	43.7	30
5N-06-12	Z3/8"X18	Z3/4"X14	17	47	36
5N-08-04	Z1/2"X14	Z1/4"X18	19.5	28	24
5N-08-06	Z1/2"X14	Z3/8"X18	19.5	28.5	24
5N-08	Z1/2"X14	Z1/2"X14	19.5	47.5	30
5N-08-12	Z1/2"X14	Z3/4"X14	19.5	49	36
5N-12-06	Z3/4"X14	Z3/8"X18	19.5	30.5	27
5N-12-08	Z3/4"X14	Z1/2"X14	19.5	30.5	27
5N-12	Z3/4"X14	Z3/4"X14	19.5	49	36
5N-12-16	Z3/4"X14	Z1"X11.5	19.5	55.4	41
5N-16-08	Z1"X11.5	Z1/2"X14	25.5	35.5	36
5N-16-12	Z1"X11.5	Z3/4"X14	25.5	36.5	36
5N-16	Z1"X11.5	Z1"X11.5	25.5	60.7	41
5N-16-20	Z1"X11.5	Z1.1/4"X11.5	25.5	63.5	50
5N-20-12	Z1.1/4"X11.5	Z3/4"X14	26.5	38.5	46
5N-20-16	Z1.1/4"X11.5	Z1"X11.5	26.5	41	46
5N-20	Z1.1/4"X11.5	Z1.1/4"X11.5	26.5	61.5	50
5N-20-24	Z1.1/4"X11.5	Z1.1/2"X11.5	26.5	62.5	60
5N-24-16	Z1.1/2"X11.5	Z1"X11.5	27.5	41.5	50
5N-24-20	Z1.1/2"X11.5	Z1.1/4"X11.5	27.5	41	50
5N-24	Z1.1/2"X11.5	Z1.1/2"X11.5	27.5	62.5	65
5N-24-32	Z1.1/2"X11.5	Z2"X11.5	27.5	66.5	70
5N-32-20	Z2"X11.5	Z1.1/4"X11.5	27.5	44.5	65
5N-32-24	Z2"X11.5	Z1.1/2"X11.5	27.5	45	65
5N-32	Z2"X11.5	Z2"X11.5	27.5	62.5	70




5N9

90° 弯布锥管外螺纹 / 布锥管内螺纹

90° ELBOW NPT MALE / NPT FEMALE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F		A	B		S1
5N9-02	Z1/8"X27	Z1/8"X27		24.5	17.8		16
5N9-04-02	Z1/4"X18	Z1/8"X27		26.5	16.8		16
5N9-04	Z1/4"X18	Z1/4"X18		28	22.4		19
5N9-04-06	Z1/4"X18	Z3/8"X18		31	25		24
5N9-06-04	Z3/8"X18	Z1/4"X18		31	22.4		19
5N9-08	Z1/2"X14	Z1/2"X14		41.2	31.2		30
5N9-12-08	Z3/4"X14	Z1/2"X14		45	31.2		30
5N9-12	Z3/4"X14	Z3/4"X14		45.2	34.5		33
5N9-16	Z1"X11.5	Z1"X11.5		54.5	41.1		41
5N9-20	Z1.1/4"X11.5	Z1.1/4"X11.5		63	43.2		48
5N9-24	Z1.1/2"X11.5	Z1.1/2"X11.5		71.5	52.8		63
5N9-32	Z2"X11.5	Z2"X11.5		73.5	62		65




JN

布锥管内螺纹 / 布锥管外螺纹 三通

NPT FEMALE / NPT MALE BRANCH TEE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F	G	A	B	C	S1
JN-02	Z1/8"X27	Z1/8"X27	Z1/8"X27	17.8	24.5	17.8	14
JN-04	Z1/4"X18	Z1/4"X18	Z1/4"X18	22.4	28	22.4	19
JN-06	Z3/8"X18	Z3/8"X18	Z3/8"X18	25	33.5	25	24
JN-08	Z1/2"X14	Z1/2"X14	Z1/2"X14	31.2	41.2	31.2	30
JN-12	Z3/4"X14	Z3/4"X14	Z3/4"X14	34.5	45.2	34.5	33




HN

美制布锥管内螺纹 / 布锥管外螺纹主支三通

NPT FEMALE / NPT MALE RUN TEE

代 号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F	G	A	B	C	S1
HN-02	Z1/8"X27	Z1/8"X27	Z1/8"X27	20	20	24.5	16
HN-04	Z1/4"X18	Z1/4"X18	Z1/4"X18	25	25	28.5	19
HN-06	Z3/8"X18	Z3/8"X18	Z3/8"X18	27	27	33.5	24
HN-08	Z1/2"X14	Z1/2"X14	Z1/2"X14	35	35	42.5	30
HN-12	Z3/4"X14	Z3/4"X14	Z3/4"X14	37	37	45.2	33
HN-20	Z1.1/4"X11.5	Z1.1/4"X11.5	Z1.1/4"X11.5	48	48	58.5	48




7N

美制布锥管内螺纹

NPT FEMALE

代 号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F				L	S1
7N-02	Z1/8"X27	Z1/8"X27				24	17
7N-02-04	Z1/8"X27	Z1/4"X18				27	19
7N-02-06	Z1/8"X27	Z3/8"X18				30	22
7N-04	Z1/4"X18	Z1/4"X18				29	19
7N-04-06	Z1/4"X18	Z3/8"X18				31	22
7N-06	Z3/8"X18	Z3/8"X18				29	22
7N-06-08	Z3/8"X18	Z1/2"X14				38	30
7N-06-12	Z3/8"X18	Z3/4"X14				40	36
7N-08	Z1/2"X14	Z1/2"X14				38	30
7N-08-12	Z1/2"X14	Z3/4"X14				43	36
7N-12	Z3/4"X14	Z3/4"X14				39	36
7N-12-16	Z3/4"X14	Z1"X11.5				45.5	41
7N-16	Z1"X11.5	Z1"X11.5				48	41
7N-20	Z1.1/4"X11.5	Z1.1/4"X11.5				49	50
7N-24	Z1.1/2"X11.5	Z1.1/2"X11.5				49	60
7N-32	Z2"X11.5	Z2"X11.5				50	70




7N9-PK

90° 弯美制布锥管内螺纹

90° ELBOW NPT FEMALE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F		A	B		S1
7N9-02PK	Z1/8"X27	Z1/8"X27		20	20		16
7N9-02-04PK	Z1/8"X27	Z1/4"X18		20	22.5		19
7N9-04PK	Z1/4"X18	Z1/4"X18		22.5	22.5		19
7N9-04-06PK	Z1/4"X18	Z3/8"X18		25	26		24
7N9-06PK	Z3/8"X18	Z3/8"X18		26	26		24
7N9-08PK	Z1/2"X14	Z1/2"X14		31	31		27
7N9-08-12PK	Z1/2"X14	Z3/4"X14		34	34		33
7N9-12PK	Z3/4"X14	Z3/4"X14		34	34		33
7N9-12-16PK	Z3/4"X14	Z1"X11.5		42	42		41
7N9-16PK	Z1"X11.5	Z1"X11.5		42	42		41
7N9-20PK	Z1.1/4"X11.5	Z1.1/4"X11.5		48	48		50
7N9-24PK	Z1.1/2"X11.5	Z1.1/2"X11.5		53	53		60
7N9-32PK	Z2"X11.5	Z2"X11.5		62	62		70




GN-PK

美制布锥管内螺纹三通

NPT FEMALE TEE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F	G	A	B	C	S1
GN-02PK	Z1/8"X27	Z1/8"X27	Z1/8"X27	20	20	20	16
GN-04PK	Z1/4"X18	Z1/4"X18	Z1/4"X18	22.5	22.5	22.5	19
GN-06PK	Z3/8"X18	Z3/8"X18	Z3/8"X18	26	26	26	24
GN-08PK	Z1/2"X14	Z1/2"X14	Z1/2"X14	31	31	31	27
GN-12PK	Z3/4"X14	Z3/4"X14	Z3/4"X14	34	34	34	33
GN-20PK	Z1.1/4"X11.5	Z1.1/4"X11.5	Z1.1/4"X11.5	48	48	48	50
GN-24PK	Z1.1/2"X11.5	Z1.1/2"X11.5	Z1.1/2"X11.5	53	53	53	60
GN-32PK	Z2"X11.5	Z2"X11.5	Z2"X11.5	62	62	62	70




1NO

美制布锥管外螺纹 / 美制SAE外螺纹带O形圈轻系列ISO11926-3

NPT MALE / SAE O-RING BOSS L-SERIES ISO 11926-3

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING F端	尺 寸 DIMENSIONS			
	E	F		A	B	L	S1
1NO-04	Z1/4"X18	7/16"X20	O904	15	9.1	30	14
1NO-04-06	Z1/4"X18	9/16"X18	O906	15	9.9	31	17
1NO-06-04	Z3/8"X18	7/16"X20	O904	16	9.1	31	19
1NO-06	Z3/8"X18	9/16"X18	O906	16	9.9	32	19
1NO-06-08	Z3/8"X18	3/4"X16	O908	16	11.1	35.5	22
1NO-08-10	Z1/2"X14	7/8"X14	O910	19.5	12.7	42	27
1NO-08-12	Z1/2"X14	1.1/16"X12	O912	19.5	15.1	45.5	32
1NO-12-10	Z3/4"X14	7/8"X14	O910	19.5	12.7	43	30
1NO-12	Z3/4"X14	1.1/16"X12	O912	19.5	15.1	45.5	32
1NO-16	Z1"X11.5	1.5/16"X12	O916	25.5	15.1	51.5	38
1NO-20-16	Z1.1/4"X11.5	1.5/16"X12	O916	26.5	15.1	54.5	46
1NO-20	Z1.1/4"X11.5	1.5/8"X12	O920	26.5	15.1	56.5	50
1NO-24	Z1.1/2"X11.5	1.7/8"X12	O924	27.5	15.1	57.5	55




5NO

美制布锥管外螺纹 / 美制SAE内螺纹ISO 11926-1

NPT MALE / SAE FEMALE ISO 11926-1

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F		A		L	S1
5NO-02-04	Z1/8"X27	7/16"X20		10.5		29.5	17
5NO-02-05	Z1/8"X27	1/2"X20		10.5		30.5	17
5NO-04	Z1/4"X18	7/16"X20		15		34	17
5NO-04-06	Z1/4"X18	9/16"X18		15		36	19
5NO-04-08	Z1/4"X18	3/4"X16		15		41	27
5NO-06	Z3/8"X18	9/16"X18		16		34.5	19
5NO-06-08	Z3/8"X18	3/4"X16		16		40	24
5NO-08-06	Z1/2"X14	9/16"X18		19.5		27.5	24
5NO-08	Z1/2"X14	3/4"X16		19.5		41.5	27
5NO-08-10	Z1/2"X14	7/8"X14		19.5		46.5	30
5NO-12-08	Z3/4"X14	3/4"X16		19.5		29.5	30
5NO-12-10	Z3/4"X14	7/8"X14		19.5		42.5	30
5NO-12	Z3/4"X14	1.1/16"X12		19.5		47	36
5NO-16-12	Z1"X11.5	1.1/16"X12		25.5		36.5	36
5NO-16	Z1"X11.5	1.5/16"X12		25.5		53	41
5NO-20	Z1.1/4"X11.5	1.5/8"X12		26.5		55.5	50




5ON

美制SAE外螺纹带O形圈轻系列ISO 11926-3 / 美制布锥管内螺纹

SAE O-RING BOSS L-SERIES ISO 11926-3 / NPT FEMALE

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS		
	E	F	E端	A	L	S1
5ON-02	5/16"X24	Z1/8"X27	O902	7.54	24.5	17
5ON-02-04	5/16"X24	Z1/4"x18	O902	7.54	29	19
5ON-03-02	3/8"X24	Z1/8"X27	O903	7.54	24.5	17
5ON-03-04	3/8"X24	Z1/4"x18	O903	7.54	29	19
5ON-04-02	7/16"X20	Z1/8"X27	O904	9.1	24.5	17
5ON-04	7/16"X20	Z1/4"x18	O904	9.1	30.5	19
5ON-05-02	1/2"X20	Z1/8"X27	O905	9.1	26	17
5ON-06-04	9/16"X18	Z1/4"x18	O906	9.9	31.5	19
5ON-08-04	3/4"X16	Z1/4"x18	O908	11.1	32.5	22
5ON-08-06	3/4"X16	Z3/8"x18	O908	11.1	34	22
5ON-08	3/4"X16	Z1/2"X14	O908	11.1	40	30
5ON-08-12	3/4"X16	Z3/4"x14	O908	11.1	40.1	36
5ON-10-08	7/8"X14	Z1/2"x14	O910	12.7	41.5	30
5ON-10-06	7/8"X14	Z3/8"x18	O910	12.7	35.5	27
5ON-10-12	7/8"X14	Z3/4"x14	O910	12.7	41	36
5ON-12-08	1.1/16"X12	Z1/2"x14	O912	15.1	42	32
5ON-12	1.1/16"X12	Z3/4"x14	O912	15.1	45.5	36
5ON-12-16	1.1/16"X12	Z1"X11.5	O912	15.1	50.5	41
5ON-16-12	1.5/16"X12	Z3/4"x14	O916	15.1	43	38
5ON-16	1.5/16"X12	Z1"X11.5	O916	15.1	51.5	41
5ON-20-16	1.5/8"X12	Z1"X11.5	O920	15.1	40	50
5ON-20	1.5/8"X12	Z1.1/4"X11.5	O920	15.1	53.5	50
5ON-24-16	1.7/8"X12	Z1"X11.5	O924	15.1	34	55
5ON-24-20	1.7/8"X12	Z1.1/4"X11.5	O924	15.1	48	55
5ON-24	1.7/8"X12	Z1.1/2"X11.5	O924	15.1	53.5	60
5ON-32	2.1/2"X12	2"X11.5	O932	15.1	50	70





5GN

英管外螺纹O形圈/美制布锥管内螺纹

BSP MALE O-RING/NPT FEMALE

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS		
	E	F	E端	A	L	S1
5GN-02	G1/8"X28	Z1/8"X27	O011	9.5	24.5	17
5GN-02-04	G1/8"X28	Z1/4"X18	O011	9.5	29.5	19
5GN-04-02	G1/4"X19	Z1/8"X27	O111	11	26	19
5GN-04	G1/4"X19	Z1/4"X18	O111	11	31	19
5GN-04-06	G1/4"X19	Z3/8"X18	O111	11	33	22
5GN-06	G3/8"X19	Z3/8"X18	O113	11.5	35	22
5GN-08-04	G1/2"X14	Z1/4"X18	O115	14	27	27
5GN-08-06	G1/2"X14	Z3/8"X18	O115	14	34	27
5GN-08	G1/2"X14	Z1/2"X14	O115	14	43	30
5GN-12	G3/4"X14	Z3/4"X14	O119	15.5	44.5	36
5GN-16	G1"X11	Z1"X11.5	O217	18	54.5	41
5GN-20	G1.1/4"X11	Z1.1/4"X11.5	O222	20	55.5	50
5GN-24	G1.1/2"X11	Z1.1/2"X11.5	O224	21.5	57	60





1J

美制JIC外螺纹74°外锥

JIC MALE 74° CONE

代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
1J-02	5/16"X24	5/16"X24	11.4	11.4	29	12
1J-02-03	5/16"X24	3/8"X24	11.4	12.2	29.5	12
1J-03	3/8"X24	3/8"X24	12.2	12.2	30.5	12
1J-04	7/16"X20	7/16"X20	14	14	34	12
1J-04-05	7/16"X20	1/2"X20	14	14	34	14
1J-04-08	7/16"X20	3/4"X16	14	16.7	38.5	22
1J-05	1/2"X20	1/2"X20	14	14	34	14
1J-05-06	1/2"X20	9/16"X18	14	14.1	34	17
1J-05-08	1/2"X20	3/4"X16	14	16.7	38.5	22
1J-05-10	1/2"X20	7/8"X14	14	19.3	41	24
1J-06	9/16"X18	9/16"X18	14.4	14.1	34.2	17
1J-06-08	9/16"X18	3/4"X16	14.1	16.7	38.5	22
1J-06-10	9/16"X18	7/8"X14	14.1	19.3	41.5	24
1J-06-12	9/16"X18	1.1/16"X12	14.1	21.9	46	30
1J-08	3/4"X16	3/4"X16	16.7	16.7	42	22
1J-08-10	3/4"X16	7/8"X14	16.7	19.3	44	24
1J-08-12	3/4"X16	1.1/16"X12	16.7	21.9	48.5	30
1J-08-16	3/4"X16	1.5/16"X12	16.7	23.1	51	36
1J-10	7/8"X14	7/8"X14	19.3	19.3	46.5	24
1J-10-12	7/8"X14	1.1/16"X12	19.3	21.9	51	30
1J-10-16	7/8"X14	1.5/16"X12	19.3	23.1	53.5	36
1J-12	1.1/16"X12	1.1/16"X12	21.9	21.9	54	30
1J-12-14	1.1/16"X12	1.3/16"X12	21.9	22.6	55.5	32
1J-12-16	1.1/16"X12	1.5/16"X12	21.9	23.1	56	36
1J-14	1.3/16"X12	1.3/16"X12	22.6	22.6	56	32
1J-14-16	1.3/16"X12	1.5/16"X12	22.6	23.1	56.5	36
1J-16	1.5/16"X12	1.5/16"X12	23.1	23.1	57	36
1J-16-20	1.5/16"X12	1.5/8"X12	23.1	24.3	60.5	46
1J-16-24	1.5/16"X12	1.7/8"X12	23.1	27.5	65.5	50
1J-20	1.5/8"X12	1.5/8"X12	24.3	24.3	62	46
1J-20-24	1.5/8"X12	1.7/8"X12	24.3	27.5	67	50
1J-20-32	1.5/8"X12	2.1/2"X12	24.3	33.9	75	65
1J-24	1.7/8"X12	1.7/8"X12	27.5	27.5	70	50
1J-24-32	1.7/8"X12	2.1/2"X12	27.5	33.9	78.5	65
1J-32	2.1/2"X12	2.1/2"X12	33.9	33.9	85	65

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Note: Nut and sleeve should be ordered separately. The nut NB200 and sleeve NB500 is suitable for metric tube, the nut NB200 and sleeve NB300 is suitable for inch tube.





1J9

90° 弯美制JIC外螺纹74°外锥

90° ELBOW JIC MALE 74° CONE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F		A	B		S1
1J9-02	5/16"X24	5/16"X24		20.5	20.5		11
1J9-03	3/8"X24	3/8"X24		22	22		11
1J9-04	7/16"X20	7/16"X20		24.5	24.5		11
1J9-05	1/2"X20	1/2"X20		26.6	26.6		14
1J9-06	9/16"X18	9/16"X18		26.9	26.9		14
1J9-06-08	9/16"X18	3/4"X16		30	32		19
1J9-06-10	9/16"X18	7/8"X14		32	37.8		22
1J9-08	3/4"X16	3/4"X16		32	32		19
1J9-08-10	3/4"X16	7/8"X14		34.8	37.8		22
1J9-10	7/8"X14	7/8"X14		37.8	37.8		22
1J9-10-12	7/8"X14	1.1/16"X12		41	44.2		27
1J9-12	1.1/16"X12	1.1/16"X12		44.2	44.2		27
1J9-14	1.3/16"X12	1.3/16"X12		47.5	47.5		30
1J9-16	1.5/16"X12	1.5/16"X12		49	49		33
1J9-20	1.5/8"X12	1.5/8"X12		55.5	55.5		41
1J9-24	1.7/8"X12	1.7/8"X12		62.5	62.5		48
1J9-32	2.1/2"X12	2.1/2"X12		78	78		63

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。




AJ

美制JIC外螺纹74°外锥 三通

JIC MALE 74° CONE TEE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F	G	A	B	C	S1
AJ-04	7/16"X20	7/16"X20	7/16"X20	24.5	24.5	24.5	11
AJ-04-06-04	7/16"X20	9/16"X18	7/16"X20	26.6	26.9	26.6	14
AJ-05	1/2"X20	1/2"X20	1/2"X20	26	26	26	14
AJ-06-04-06	9/16"X18	7/16"X20	9/16"X18	26.9	26.6	26.9	14
AJ-06	9/16"X18	9/16"X18	9/16"X18	26.9	26.9	26.9	14
AJ-08-06-08	3/4"X16	9/16"X18	3/4"X16	32	30	32	19
AJ-10	7/8"X14	7/8"X14	7/8"X14	37.8	37.8	37.8	22
AJ-12	1.1/16"X12	1.1/16"X12	1.1/16"X12	44.2	44.2	44.2	27
AJ-16	1.5/16"X12	1.5/16"X12	1.5/16"X12	49	49	49	33
AJ-16-12-16	1.5/16"X12	1.1/16"X12	1.5/16"X12	49	48	49	33
AJ-20	1.5/8"X12	1.5/8"X12	1.5/8"X12	56.5	56.5	56.5	41
AJ-24	1.7/8"X12	1.7/8"X12	1.7/8"X12	63	63	63	48
AJ-32	2.1/2"X12	2.1/2"X12	2.1/2"X12	78	78	78	63

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。




2J

美制JIC外螺纹74°外锥 / JIC内螺纹74°内锥

JIC MALE 74°CONE / JIC FEMALE 74° SEAT

代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B	L	S1	S2
2J-04	7/16"X20	7/16"X20	14	9	28	12	15
2J-04-05	7/16"X20	7/16"X20	14	9.5	28.5	12	17
2J-04-06	7/16"X20	9/16"X18	14	10.5	28.5	14	19
2J-04-08	7/16"X20	3/4"X16	14	11	30.5	19	24
2J-05	1/2"X20	1/2"X20	14	9.5	29	14	17
2J-05-08	1/2"X20	3/4"X16	14	11	30.5	19	24
2J-06	9/16"X18	9/16"X18	14.1	10.5	29	17	19
2J-06-08	9/16"X18	3/4"X16	14.1	11	31	19	24
2J-06-10	9/16"X18	7/8"X14	14.1	13	33.5	22	27
2J-08	3/4"X16	3/4"X16	16.7	11	36	22	24
2J-08-06	3/4"X16	9/16"X18	16.7	10.5	34	22	19
2J-08-10	3/4"X16	7/8"X14	16.7	13	36.5	22	27
2J-08-12	3/4"X16	1.1/16"X12	16.7	15	39.5	27	32
2J-10	7/8"X14	7/8"X14	19.3	13	39	24	27
2J-10-08	7/8"X14	3/4"X16	19.3	11	38	24	24
2J-10-12	7/8"X14	1.1/16"X12	19.3	15	42	27	32
2J-12	1.1/16"X12	1.1/16"X12	21.9	15	44.5	30	32
2J-12-10	1.1/16"X12	7/8"X14	21.9	13	43.5	30	27
2J-12-16	1.1/16"X12	1.5/16"X12	21.9	16	45.5	36	41
2J-16	1.5/16"X12	1.5/16"X12	23.1	16	46.5	36	41
2J-16-20	1.5/16"X12	1.5/8"X12	23.1	17	53	41	50
2J-20	1.5/8"X12	1.5/8"X12	24.3	17	54.5	46	50
2J-20-24	1.5/8"X12	1.7/8"X12	24.3	20	55.5	46	55
2J-24	1.7/8"X12	1.7/8"X12	27.5	20	61	50	55
2J-24-32	1.7/8"X12	2.1/2"X12	27.5	24.5	63	65	75
2J-32	2.1/2"X12	2.1/2"X12	33.9	24.5	69.5	65	75

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Note: Nut and sleeve should be ordered separately. The nut NB200 and sleeve NB500 is suitable for metric tube, the nut NB200 and sleeve NB300 is suitable for inch tube.




2J9

90°弯 美制JIC外螺纹74°外锥 / JIC内螺纹74°内锥

90° ELBOW JIC MALE 74°CONE / JIC FEMALE 74° SEAT

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	S1	S2
2J9-02	5/16"X24	5/16"X24	21	5.6	11	12
2J9-03	3/8"X24	3/8"X24	22	5	11	14
2J9-04	7/16"X20	7/16"X20	24.5	9	11	15
2J9-05	1/2"X20	1/2"X20	26.5	9.5	14	17
2J9-06	9/16"X18	9/16"X18	26.9	10.5	14	19
2J9-08-06	3/4"X16	9/16"X18	32	10.5	19	19
2J9-08	3/4"X16	3/4"X16	32	11	19	24
2J9-08-10	3/4"X16	7/8"X14	32	13	19	27
2J9-10	7/8"X14	7/8"X14	37.8	13	22	27
2J9-10-08	7/8"X14	3/4"X16	37.8	11	22	24
2J9-10-12	7/8"X14	1.1/16"X12	39.5	15	24	32
2J9-12	1.1/16"X12	1.1/16"X12	44.2	15	27	32
2J9-12-10	1.1/16"X12	7/8"X14	44.2	13	27	27
2J9-12-16	1.1/16"X12	1.5/16"X12	46	16	30	41
2J9-14	1.3/16"X12	1.3/16"X12	47.5	15	30	36
2J9-16	1.5/16"X12	1.5/16"X12	48.8	16	33	41
2J9-16-20	1.5/16"X12	1.5/8"X12	54	17	41	50
2J9-20-16	1.5/8"X12	1.5/16"X12	55.5	16	41	41
2J9-20	1.5/8"X12	1.5/8"X12	55.5	17	41	50
2J9-20-24	1.5/8"X12	1.7/8"X12	59.5	20	48	55
2J9-24-20	1.7/8"X12	1.5/8"X12	62.5	17	48	50
2J9-24	1.7/8"X12	1.7/8"X12	62.5	20	48	55
2J9-32	2.1/2"X12	2.1/2"X12	75.5	24.5	63	75

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Note: Nut and sleeve should be ordered separately. The nut NB200 and sleeve NB500 is suitable for metric tube, the nut NB200 and sleeve NB300 is suitable for inch tube.



美制JIC外螺纹 / 美制JIC内螺纹

JIC MALE / JIC FEMALE

5J-S

代 号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
5J-04-06S	7/16"X20	9/16"X18	14	9.8	26.2	19
5J-04-08S	7/16"x20	3/4"X16	14	10.9	26.2	24
5J-04-10S	7/16"X20	7/8"X14	14	12.8	28	27
5J-04-12S	7/16"X20	1.1/16"X12	14	15	29.8	32
5J-04-14S	7/16"X20	1.3/16"X12	14	15.2	32.5	36
5J-05-10S	1/2"X20	7/8"X14	14	12.8	28	27
5J-05-12S	1/2"X20	1.1/16"X12	14	15	29.8	32
5J-06-08S	9/16"X18	3/4"X16	14.1	10.9	26.3	24
5J-06-10S	9/16"X18	7/8"X14	14.1	12.8	28.2	27
5J-06-12S	9/16"X18	1.1/16"X12	14.1	15	30.1	32
5J-06-14S	9/16"X18	1.3/16"X12	14.1	15.2	32.5	36
5J-06-16S	9/16"X18	1.5/16"X12	14.1	15.9	33	38
5J-08-12S	3/4"X16	1.1/16"X12	16.7	15	33.3	32
5J-08-14S	3/4"X16	1.3/16"X12	16.7	15.2	35	36
5J-08-16S	3/4"X16	1.5/16"X12	16.7	15.9	35.6	38
5J-08-20S	3/4"X16	1.5/8"X12	16.7	16.8	35.5	50
5J-10-16S	7/8"X14	1.5/16"X12	19.3	15.9	37.5	38
5J-10-20S	7/8"X14	1.5/8"X12	19.3	16.8	37.9	50
5J-10-24S	7/8"X14	1.7/8"X12	19.3	19.7	42	60
5J-12-16S	1.1/16"X12	1.5/16"X12	22	15.9	40.2	38
5J-12-20S	1.1/16"X12	1.5/8"X12	22	16.8	40.6	50
5J-12-24S	1.1/16"X12	1.7/8"X12	22	19.7	42	60
5J-16-20S	1.5/16"X12	1.5/8"X12	23	16.8	41.8	50
5J-16-24S	1.5/16"X12	1.7/8"X12	23	19.7	43.2	60
5J-16-32S	1.5/16"X12	2.1/2"X12	23	29.1	49	75
5J-20-24S	1.5/8"X12	1.7/8"X12	24.3	19.7	44.3	60
5J-20-32S	1.5/8"X12	2.1/2"X12	24.3	29.1	50	75

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Note: Nut and sleeve should be ordered separately. The nut NB200 and sleeve NB500 is suitable for metric tube, the nut NB200 and sleeve NB300 is suitable for inch tube.